


Solutions for the dental practice





Catalogue **2017**





Progress, constantly. Creating value, to make the quality of the products accessible to the world. With creativity, and especially with the ability to transform every challenge into a development opportunity. To dynamically seize the market trends and understand the needs of partners, clients and customers. To make our solutions accessible worldwide. All this is the basis of Zhermack's growth, and since its foundation, over 35 years ago, the company has never ceased to develop and grow.

The clarity of the dream continues to drive Zhermack along this road, to "make you feel confident in everyday life". This is Zhermack's goal and philosophy of life. And it is a dream that is realised every day. Because everything aims at transmitting confidence. The way is charted with the awareness that Zhermack must contribute to improve oral health throughout the world, now and for future generations.

The contribution of Zhermack to people's oral health stems from the value that is given to the quality of its products. A quality that is born from scientific research and from the commitment to continuous education, to reach and always set new goals that contribute to improve the lives of people all over the world.





«Zhermack is a company that is committed with constancy to creating value, to make the quality of its products accessible worldwide. Zhermack's success resides in its ability to be creative, to transform every challenge into a growth opportunity, and to be dynamic, in order to seize the market trends and understand the needs of partners, clients and end customers».

> Paolo Ambrosini General Manager

Our solutions.

A complete range for the impression taking with a portfolio of products - alginates, condensation silicones, addition silicones able to adapt to the specific needs of professionals from all over the world. Not only products but complete solutions: equipment designed and produced in compliance with clinical processes that systematise and simplify the daily work of professionals with impression materials; the line dedicated to the control of infections, specially designed and produced to meet the many needs of the dental practice, and lastly the offers within the scope of dental reconstruction.

We produce measurable results.

Zhermack directly manages all the working stages - from formulation to packaging, from the production of raw materials to the mixing - to produce all its solutions. Validated and controlled processes are the guarantee with which Zhermack is able to offer products that are constant in their characteristics, as well as certified in quality.

This, together with the technological and process integration adopted over time, is what makes Zhermack one of the major producers in the field of dental products.

Quality, certified. Year after year.

In 1993 Zhermack received the ISO 9001 certification for its Quality Management System. In 2007 it obtained the ISO 22716 for Cosmetics - Good Manufacturing Practices (GMP). In 2012 the ISO 13485 certification for the Quality Management System of Medical Devices, necessary for the exportation of Zhermack products on the global market. A system to guarantee Zhermack and its users.





Impression systems

Preliminary impression	13
Master impression	25
Transparent matrix	51
Bite registration	55
Relining	61
Accessories	65

9

Restorative 77

Temporary restorations	79
Permanent restorations	83

Hygiene 89

Instruments and burs	93
Surfaces	97
Special applications	101
Hands	109
Disposable	112

Equipment 119

Mixers for impression systems	121
Solutions for hygiene	129

Model casting 134

NOTE: The images and texts related to the technical data of the individual products and accessories may be changed during the period of validity of the catalogue. The images are only representative of the showed products. Not all products are sold in every country. For further information on product availability, please contact your local representative.



Impression systems

For the last 35 years, Zhermack has been offering innovative solutions for impression taking, by constantly expanding and improving its product range. With the experience of those who directly produce the materials and control all the working phases, to always obtain high quality standards.

Materials for manual mixing and for automatic mixing, able to meet the preferences of the professional according to the technique used and the indications of the specific case. Zhermack's offer also includes gypsum for the different applications and a line of high quality disinfectants that comply with the most recent regulations.

Solutions for impression taking

Impression systems



It is important to carefully choose the **impression tray that is most suitable for the clinical case.** It does not matter whether individual (resin) or standard (plastic or metal), just that it is rigid. It is advisable to use an adhesive that ensures perfect adhesion between the impression materials and the impression tray itself. If necessary, also use the most appropriate gingival retraction system.

Zhermack offers a wide range of impression trays adapted to the indication for the specific cases: for fixed prosthesis, in metal and in plastic, and for removable prosthesis, in rigid plastic. For other cases in which it is necessary to build a custom impression tray, the light-curing plates are available.

- Hi-Tray for impression taking
- Light-curing plates
- Universal Tray Adhesive
- Elite Cord for gingival displacement

The success of an impression is influenced by several factors such as the technique used, the experience and the choice of the most suitable materials according to the clinical case. Zhermack proposes **different solutions such as alginates, condensation silicones and addition silicones**, each with specific characteristics, in order to satisfy the different needs of the dental practice.

- Alginates
- Condensation silicones
- Addition silicones
- Addition silicones for bite registration
- Addition silicones for transparent matrixes





Model casting

Cleaning and disinfection of the impression

To protect ourselves from cross infection risks, it is necessary to correctly follow the procedures, but also to rely on effective and safe products. **Zeta Hygiene** is a complete range of products for **cleaning**, **disinfection and sterilisation in the dental practice**, characterised by effectiveness, convenience and safety. In particular in

convenience and safety. In particular, in order to obtain a correct disinfection of the impression, Zhermack offers Zeta 7 Spray or Zeta 7 Solution.

- Zeta 7 Spray
- Zeta 7 Solution

It often happens that the model needs to be cast directly in the practice to reproduce the state of the patient's dentition for diagnostic purposes. This allows to assess the most suitable orthodontic treatment or prosthesis, or even only to check the occlusion. To obtain the maximum precision, you can find within the wide range of **Zhermack gypsum** the one that is the most indicated for the applications of the dental practice.

- Elite Rock
- Elite Model
- Elite Ortho

11



Impression systems Preliminary impression

A wide range of alginates that build a system with the automatic and mechanical mixing equipment, together with an alginate replacement, are the solutions that Zhermack has developed for preliminary impressions.

The characteristics of the Zhermack alginates are suitable for every application: from the different processing and setting times (normal, fast and extra-fast) to chromatic variation, to dimensional stability, from 48 to 120 hours. They all stand out by their high thixotropy and their accuracy in the reproduction of details, as well as ease of use. They mix easily and their homogeneous texture ensures excellent levels of elasticity and dimensional stability. They also have a pleasant scent, which helps the patient overcome any fears during the impression taking. The addition silicone, an alginate replacement, adds to the traditional characteristics of the alginates the advantages of high dimensional stability, greater flexibility and a better recovery from deformation, in addition to a greater tear resistance.

HIGH DIMENSIONAL STABILITY ALGINATE	S
Hydrogum 5	14
Hydrocolor 5	14
HIGH PRECISION ALGINATE	
Neocolloid	15
ALGINATE FOR ORTHODONTICS	
Orthoprint	16
UNIVERSAL ALGINATES	
Hydrogum	17
Hydrogum Soft	17
Tropicalgin	17
Phase Plus	
ALGINATE REPLACEMENT	
Freealgin	10



Hydrogum 5 | Hydrocolor 5

High dimensional stability alginates

Impression systems / Preliminary impression

Hydrogum 5 and **Hydrocolor 5** are the high dimensional stability solutions studied by Zhermack, which will allow to have more time for the casting of the model after the impression taking, thus overcoming working time that is often too tight, and simplifying the daily work of the dentist. They enable the impression to be cast up to 5 days after the impression is taken, thus obtaining precise and reliable models.

Hydrogum 5 is an extra-fast setting alginate, with a homogeneous consistency and an accurate reproduction of details. It ensures less stress for the patient, thanks to the time in mouth of only 45 seconds.
Hydrocolor 5 is a chromatic alginate, with a pleasant berry scent, easy to use thanks to the three processing steps that clearly indicate the mixing phase (fuchsia), when the alginate is ready to be loaded on the impression tray (violet) and when it can be inserted into the patient's mouth (light blue).



Hydrogum 5

Characteristics

- High dimensional stability
- Quick working and setting times
- Thixotropy
- Pleasant scents
- Hydrocolor 5 is a chromatic alginate which changes colour to guide the dentist during the 3 processing stages
- Can be mixed with Hurrimix² or Alghamix II



Hydrogum 5



Hydrogum 5



- Long dimensional stability of impressions (5 days of dimensional stability)
- Easy mixing
- · Homogeneous mass, smooth, compact surfaces



4 Zhermack

Neocolloid is a high precision alginate developed to obtain accurate preliminary impressions and precise prosthetic results.

Its high precision makes it the ideal choice for dentists specialized in removable prostheses. The extended working time (2 minutes) give the dentist the possibility to operate in a more precise manner and with greater peace of mind.

Characteristics

- High Precision
- Normal working time

• Fast water absorption

• Low thixotropy

Advantages

• Easy mixing

• Injectable

• Can be mixed with Hurrimix² or Alghamix II

• Homogeneous mass, smooth and compact surfaces

Neocolloid



Neocolloid



Neocolloid





Impression systems / Preliminary impression

Orthoprint is a specific alginate for orthodontic use that combines precision and practicality.

Highly elastic and suitable for impression taking even in the presence of brackets. It is characterized by extra-fast working and setting times to allow for the quick removal of the impression from the oral cavity, while recording even the smallest details.

Its vanilla scent, with emetic reflex reduction, helps patients to overcome any fears.



Orthoprint

Characteristics

- Highly elastic alginate
- Extra-fast working and setting times
- Vanilla scent
- Can be mixed with Hurrimix² or Alghamix II

Advantages

- Fast water absorption
- Easy mixing
- Emetic reflex reduction





Hydrogum | Hydrogum Soft | Tropicalgin | Phase Plus

Universal alginates

Impression systems / Preliminary impression

In addition to the alginates with specific characteristics, the wide Zhermack range also allots an important place to the universal alginates, to meet the many needs of daily clinical practice.

Like **Hydrogum** and **Hydrogum Soft**, that are particularly elastic and resistant.

Or like the chromatic alginates **Tropicalgin** and **Phase Plus**, designed to highlight in an easy and immediate way the processing steps through their colour change.



Hydrogum

Characteristics

- Fast working and setting times
- Thixotropy
- Tropicalgin and Phase Plus are chromatic alginates which change colour to guide the dentist during the 3 processing stages
- Can be mixed with Hurrimix² or Alghamix II

Advantages

- Easy mixing
- Homogeneous mass, smooth, compact surfaces
- All purposes



Hydrogum Soft



Impression systems / Preliminary impression

Freealgin is a medium viscosity addition silicone, used in substitution of traditional alginates for preliminary impression taking.

One of its advantages is its high dimensional stability (superior to alginates), which ensures flexibility in the impression casting times and greater accuracy. Greater elasticity, a better recovery from deformation and a higher tear resistance also complement its characteristics.

For automatic mixing, the packaging is also available in a 5:1 ratio, which is quick and convenient.



Freealgin

Characteristics

- 1:1 and 5:1 mixing ratio
- Thixotropy
- Biocompatibility
- Mangosteen scent

Advantages

- High tear resistance
- Excellent recovery from deformation
- High dimensional stability



Preliminary impression

Product features

Impression systems / Preliminary impression

Product	Distinctive characteristics	Type of setting	Working time* (min:s)	Time in mouth* (min:s)	Setting time* (min:s)	Scent	Strain in compression	Elastic recovery	Compressive strenght
Hydrogum 5	High stability	Extra Fast	1:05	0:45	1:50	Mangosteen	13.0 %	98 %	1.2 MPa
Hydrocolor 5	Chromatic High stability	Fast	1:10	1:00	2:10	Cool berry	12.0 %	97 %	1.1 MPa
Neocolloid	High precision	Normal	2:00	1:30	3:30	Herbal	10.3 %	99 %	1.1 MPa
Orthoprint	Orthodontic	Extra Fast	1:05	0:45	1:50	Vanilla	11.0 %	98 %	1.2 MPa
Hydrogum	Elastic	Fast	1:10	1:00	2:10	Mint	11.7 %	98 %	1.2 MPa
Hydrogum Soft	Extra elastic	Fast	1:10	1:00	2:10	Mint	11.9 %	98 %	1.0 MPa
Tropicalgin	Chromatic User-friendly & Exotic	Fast	1:35	1:00	2:35	Mango	11.5 %	99 %	1.4 MPa
Phase Plus	Chromatic Easy Handling	Fast	1:35	1:00	2:35	Spearmint	11.5 %	99 %	1.4 MPa

 * the times mentioned must be intended at 23 °C - 73 °F

Product	Distinctive characteristics	Type of setting	Working time** (min:s)	Time in mouth** (min:s)	Setting time** (min:s)	Scent	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)
Freealgin	High dimensional stability 5:1 automatic mixing system	Fast	1:00	1:30	2:30	Mangosteen	3 - 5 %	> 99.5 %	< 0.2 %	40

** the times mentioned must be intended at 35 °C - 95 °F

Zhermack ///



Preliminary impression

Codes



High dimensional stability alginates

Code	Product	Setting time	Packaging
C302070	Hydrogum 5	Extra Fast Set	1 bag 453 g
C302071	Hydrogum 5	Extra Fast Set	1 canister + 2 bags 453 g + measuring spoons set
C302075	Hydrogum 5	Extra Fast Set	1 single-dose bag 21 g
C302120	Hydrocolor 5	Fast Set	1 bag 453 g
C302130	Hydrocolor 5	Fast Set	1 single-dose bag 21 g

FUCHSIA in the mixing time | VIOLET in the working time | LIGHT BLUE in the mouth

High precision alginates

Code	Product	Setting time	Packaging
C302205	Neocolloid	Normal Set	1 bag 500 g
C302230	Neocolloid	Normal Set	1 single-dose bag 18 g

Universal alginates

Code	Product	Setting time	Packaging
C302025	Hydrogum	Fast Set	1 bag 500 g
C302051	Hydrogum	Fast Set	1 single-dose bag 18 g
C302060	Hydrogum Soft	Fast Set	1 bag 453 g
C302044	Hydrogum Soft	Fast Set	1 single-dose bag 18 g
C302240	Tropicalgin	Fast Set	1 bag 453 g
C302242	Tropicalgin	Fast Set	1 canister + 2 bags 453 g + measuring spoons set
C302245	Tropicalgin	Fast Set	1 single-dose bag 18 g
C302086	Phase Plus	Fast Set	1 bag 453 g

 $\begin{array}{l} \textbf{RED} \text{ in the mixing time } | \textbf{ORANGE} \text{ in the working time } | \textbf{YELLOW} \text{ in the mouth} \\ \textbf{VIOLET} \text{ in the mixing time } | \textbf{PINK} \text{ in the working time } | \textbf{WHITE} \text{ in the mouth} \\ \end{array}$



Alginates for orthodontics

Code	Product	Setting time	Packaging
C302145	Orthoprint	Extra Fast Set	1 bag 500 g
C302161	Orthoprint	Extra Fast Set	1 canister + 2 bags 500 g + measuring spoons set
C302171	Orthoprint	Extra Fast Set	1 single-dose bag 18 g

In combination with the alginates, Zhermack recommends the use of:

Hurrimix²: centrifugal mixer for alginates and gypsum. More details on page 122

Alghamix II: mechanical mixer for alginates and C-Silicones. More details on page 124

Alginate replacement

Code	Product	Setting time	Packaging
C300110	Freealgin	Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 4 lilac mixing tips

5:1

Code	Product	Setting time	Packaging
C300100	Freealgin Maxi	Fast Set	Standard Pack: 2 x 380 ml cartridges (Base + Catalyst) + 15 dynamic-static mixing tips + 2 mixing tip lockers
C300102	Freealgin Maxi	Fast Set	Eco Pack: 6 x 380 ml cartridges (Base + Catalyst) + 2 mixing tip lockers

Modulmix refers only to Freealgin in 5:1 ratio



For automatic mixing of the 5:1 systems we recommend the use of Modulmix. More details on page $1\overline{2}6$

5:1 Packaged in the 5:1 automatic mixing system



21

Preliminary impression

Accessories


ACCORDANCE AND ADDRESS OF TAXABLE PARTY.

Impression systems / Preliminary impression


alghamix '

slow

Zhermack 1



Zhermack 23



Impression systems Master impression

Knowledge, technique, high quality materials. In other words, the optimal impression. The right one, which meets the dentist's requirements. Addition or condensation silicones, to obtain an accurate and precise impression, with a long dimensional stability (especially for A-Silicones) and high tear resistance.

On the basis of the clinical situation, the dentist can choose materials with a longer or shorter working time. Furthermore, Zhermack silicones are biocompatible and characterized by pleasing scents, to ensure a greater comfort to patients.

ADDITION SILICONES

Hydrorise	26
Hydrorise Implant	30
Elite HD+	34
Elite P&P	38

CONDENSATION SILICONES

Zetaplus	44
Oranwash	44
Thixoflex	44
Indurent Gel	44
Zetaflow	44
Orthogum	48



High performance for **Hydrorise**, the hyper-hydrocompatible A-Silicone for high precision impression, which adapts to different impression techniques (double step impression, simultaneous impression with double viscosity and monophase impression) in various clinical situations.

The exclusive AMDA (Advanced Moisture Displacement Action) technology, developed by the Zhermack research, favours a precise reproduction of details in the humid environment of the mouth, while preserving the integrity of the impression margins due to its tear strength. Its excellent hydrocompatibility ensures a greater fluidity of the silicone, which adapts perfectly to different dental morphologies and considerably improves the quality of the impression. Hydrorise was also formulated to meet the needs of the patient: thanks to its thixotropy, the silicone does not flow in the mouth during impression taking. The synergy of its physical and mechanical properties make Hydrorise a precise and reliable silicone for professionals as they can optimize their working times and also increase the comfort of the patient during impression taking.



Hydrorise Putty - Light

Characteristics


- Mixing ratio 1:1 or 5:1 with the 380 ml cartridges
- Ideal working time/setting time ratio:
 Long working time
 - Shorter permanence in the oral cavity
- Biocompatibility
- High hydrocompatibility
- Thixotropy
- Mint scent
- Normal and fast setting for all 6 viscosities



Hydrorise Monophase



- Maximum precision in detail reproduction
- Resistance to deformation
- Excellent elastic recovery
- · High dimensional stability
- Less waste of material with the 5:1 automatic mixing system



Hydrorise Heavy - Regular



2

Product	Delivery system	Viscosity	Recommended techniques	Recon	nmended appli	ication	Type of setting	Working time*	Time in mouth*	Setting time*
	system		techniques	Fixed	Removable	Implantology	setting	(min:s)	(min:s)	(min:s)
Hydrorise	Manual mixing	Putty	Double step	•		•	Normal Set	2:00	3:30	5:30
Putty	5:1 automatic mixing	, accy	impression				Fast Set	1:30	2:30	4:00
Hydrorise	1:1 dispenser	Heavy	Single step				Normal Set	2:00	3:30	5:30
Heavy Body	5:1 automatic mixing		impression	•		•	Fast Set	1:30	2:30	4:00
Hydrorise	1:1 dispenser	Mananhasa	Monophase			•	Normal Set	2:00	3:30	5:30
Monophase	5:1 automatic mixing	Monophase	impression				Fast Set	1:30	2:30	4:00
Hydrorise	1:1 dispenser	Medium	Single step impression			•	Normal Set	2:00	3:30	5:30
Regular Body	1.1 dispenser	Medium	Double step impression		•		Fast Set	1:30	2:30	4:00
Hydrorise	1:1 dispenser	Light	Single step impression			•	Normal Set	2:00	3:30	5:30
Light Body	i.i uisperiser	Light	Double step impression				Fast Set	1:30	2:30	4:00
Hydrorise Extra	1:1 dispenser	Extra Light	Double step				Normal Set	2:00	3:30	5:30
Light Body	i.i uisperiser	LXUA LIGITU	impression				Fast Set	1:30	2:30	4:00

* the times mentioned must be intended at 35 $^\circ\!C$ - 95 $^\circ\!F$

Product	ISO 4823	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)	Shelf-life
Hydrorise Putty			> 99.0 %	< 0.2 %	60 ± 2	3 years
Hydrorise Heavy Body	Type 1 Heavy-bodied Consistency	1 - 3 %	> 99.5 %	< 0.2 %	60 ± 2	3 years
Hydrorise Monophase	Type 2 Medium-bodied Consistency	1 - 3 %	> 99.5 %	< 0.2 %	54 ± 2	3 years
Hydrorise Regular Body			> 99.5 %	< 0.2 %	45 ± 2	3 years
Hydrorise Light Body	Type 3 Light-bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	45 ± 2	3 years
Hydrorise Extra Light Body	Type 3 Light-bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	45 ± 2	3 years



Hydrorise Codes

Impression systems / Master impression



Hydrorise Putty - Very high viscosity A-Silicone

Code	Setting time	Packaging	
C207010	Normal Set	Standard Pack: 300 ml Base + 300 ml Catalyst tubs	
C207011	Fast Set		
C207012	Normal Set	Eco Pack: 900 ml Base + 900 ml Catalyst tubs	
C207013	Fast Set	ECO Pack: 900 mi Base + 900 mi Catalyst tubs	
C207071	Fast Set	Trial Kit: 100 ml Base + 100 ml Catalyst tubs Putty Fast + 50 ml Light Fast + 6 mixing tips yellow	



Code	Setting time	Packaging	
C207044	Normal Set	Standard Dack 2 x 200 ml casteidage + 15 dupamic static mixing tips + 2 mixing tip lackare	
C207045	Fast Set	Standard Pack: 2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers	
C207064	Normal Set	Eco Dack 6 v 200 ml cartridaec + 2 mixing tin lockare	
C207065	Fast Set	Eco Pack: 6 x 380 ml cartridges + 2 mixing tip lockers	

Hydrorise Heavy Body - High viscosity A-Silicone

Code	Setting time	Packaging	
C207008	Normal Set	Charles I. D. d. D. Coulor Hiller (Decess Catalant) & Casining the second	
C207009	Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 6 mixing tips green	
C207077	Fast Set	Trial Kit: 1 x 50 ml Heavy Fast + 1 x 50 ml Light Fast + 6 mixing tips yellow + 3 mixing tips green	

Hydrorise Maxi Heav	y Body - High viscosit	y A-Silicone
---------------------	------------------------	--------------

Code	Setting time	Packaging	
C207042	Normal Set	Chan david David 2 y 200 ml cambridges y 15 dynamic static minimating y 2 minimatin laglage	
C207043	Fast Set	Standard Pack: 2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers	
C207062	Normal Set	Eco Pack: 6 x 380 ml cartridges + 2 mixing tip lockers	
C207063	Fast Set	ECO Pack: 6 X 380 mi cartriages + 2 mixing tip lockers	



5:1







Hydrorise Monophase - Medium viscosity A-Silicone

C207006 Normal Set Standard Pack: 2 x 50 ml cartridges + 6 mixing tips pink C207007 Fast Set	Code	Setting time	Packaging
	C207006	Normal Set	Chan doud Dealy, D.y. F.O. well control drawn in Consistence since winds
	C207007	Fast Set	Standard Pack: 2 x 50 mi cartridges + 6 mixing ups pink



Code	Setting time	Packaging
C207040 C207041	Normal Set Fast Set	Standard Pack: 2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers + 15 intraoral tips
C207060 C207061	Normal Set Fast Set	Eco Pack: 6 x 380 ml + 2 mixing tip lockers + 45 intraoral tips



5:1

Hydrorise Regular Body - Medium viscosity A-Silicone

Code	Setting time	Packaging
C207004 C207005	Normal Set Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips pink

Code	Setting time	Packaging
C207000 C207001	Normal Set Fast Set	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips yellow
C207071	Fast Set	Trial Kit: 100 ml Base + 100 ml Catalyst tubs Putty Fast + 50 ml Light Fast + 6 mixing tips yellow
C207077	Fast Set	Trial Kit: 1 x 50 ml Heavy Fast + 1 x 50 ml Light Fast + 6 mixing tips yellow + 3 mixing tips green



Hydrorise Extra Light Body - Very low viscosity A-Silicone

Code	Setting time	Packaging
C207002	Normal Set	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips yellow
C207003	Fast Set	Standard Fack. 2 A 50 mill calchdges + 12 mining tips yellow



For automatic mixing of the 5:1 systems we recommend the use of Modulmix. More details on page $1\overline{2}6$



5:1 Packaged in the 5:1 automatic mixing system



Hydrorise Implant

A-Silicone

Hydrorise Implant is a scannable radiopaque A-Silicone specific for implantology, developed by Zhermack R&D to complete the Hydrorise range. It achieves the best performance in edentulous arches with more than two implants.

Characterised by a high final hardness, it allows to obtain an accurate impression that detects the three-dimensional position of the implant with precision before transferring it to the laboratory.

Available in three viscosities - Heavy, Medium and Light Body - in order to combine the need for rigidity with the one for detail reproduction, it can be used with monophase (Medium Body) and simultaneous, two viscosities (Heavy and Light Body) techniques.

Hydrorise Implant does not change its consistency when it comes into contact with oral fluids, and thanks to its thixotropy it does not flow in the mouth during impression taking. It has an ideal working time to allow the user to work calmly, even in the most complex cases. At the same time, setting time is short, assuring a greater comfort to the patient.

It is packed with automatic mixing cartridges to simplify and speed up the mixing phase, reducing the possibility of contamination or of making mistakes during the application. Moreover, it can be used with the main impression trays on the market (standard in plastic or steel, or custom in resin).



Hydrorise Implant Medium Body



Hydrorise Implant Heavy - Light Body

Characteristics

- Mixing ratio 1:1 (Hydrorise Implant Light Body 50 ml)
- Mixing ratio 5:1 (Hydrorise Implant Medium Body 380 ml, Hydrorise Implant Heavy Body 380 ml)
- High final hardness
- Hydrocompatibility
- Thixotropy
- High consistency
- Radiopacity
- Biocompatibility
- Scannability without using matting sprays
- Colors: Pink Hydrorise Implant Light Body; Blue Hydrorise Implant Medium Body; Violet - Hydrorise Implant Heavy Body
- Mint scented

Advantages

- High rigidity and accuracy of the impression in transferring the threedimensional position of the implant (Heavy and Medium Body)
- Optimal detail reproducibility of soft tissues around the transfer (Light Body)



Hydrorise Implant Heavy - Light Body



- Ideal Snap-Set for complex multi-unit implant cases:
 - Long working time
- Shorter permanence in the oral cavityHigh dimensional stability, typical of A-Silicones
- High thixotropy: the material does not flow in the mouth of the patient
- Disinfectability
- Biocompatibility to reduce possible tissue reactions and post-operation infection risk
- Immediate impression readability by the dentist thanks to easily readable colors
- Ease of use (mixing and dosing) thanks to the self-mixing cartridges
- Compatibility with the main 5:1 automatic mixers on the market
- Easy development and removal of the model from the impression by the dental technician
- 3 years shelf-life

Product	Delivery system	Viscosity	Recommended techniques	Implantology	Type of setting	Working time (min:s)	Time in mouth (min:s)	Setting time (min:s)
Hydrorise Implant Heavy Body	5:1 automatic mixing	Heavy	Single step impression	•	Normal set	02:00	03:30	05:30
Hydrorise Implant Medium Body	5:1 automatic mixing	Medium	Monophase impression	•	Normal set	02:00	03:30	05:30
Hydrorise Implant Light Body	1:1 dispenser	Light	Single step impression	•	Normal set	02:00	03:30	05:30

Product	ISO 4823	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)	Shelf-life
Hydrorise Implant Heavy Body	Type 1 Heavy-bodied Consistency	1 - 3 %	> 99.3 %	< 0.25 %	70	3 years
Hydrorise Implant Medium Body	Type 2 Medium-bodied Consistency	1 - 3 %	> 99.3 %	< 0.25 %	60	3 years
Hydrorise Implant Light Body	Type 3 Light-bodied Consistency	1 - 3,1 %	> 99.3 %	< 0.25 %	55	3 years

31


Hydrorise Implant

Codes



Hydrorise In	nplant Heavy	Body – High	viscosity A-Silicone	

	Code	Packaging
C207090 2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers		2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers
	C207095	Hydrorise Implant Intro pack Kit Heavy/Light: 1 x 380 ml Heavy Body + 1 x 50 ml Light Body + 6 dynamic-static mixing tips + 6 mixing tips yellow + 1 mixing tip locker



5:1

H١	vdrorise Ir	nplant Med	dium Bodv	- Medium	viscosit	/ A-Silicone
		inplaint inict		IT COLORIN	115605103	/ Sincone

Code	Packaging
C207092	2 x 380 ml cartridges + 15 dynamic-static mixing tips + 2 mixing tip lockers
C207096	Hydrorise Implant Intro pack Medium Body: 1 x 380 ml Medium Body + 6 dynamic-static mixing tips + 1 mixing tip locker



Code	Packaging
C207091	2 x 50 ml cartridges + 12 mixing tips yellow
C207095	Hydrorise Implant Intro pack Kit Heavy/Light: 1 x 380 ml Heavy Body + 1 x 50 ml Light Body + 6 dynamic-static mixing tips + 6 mixing tips yellow + 1 mixing tip locker



For automatic mixing of the 5:1 systems we recommend the use of Modulmix. More details on page 126

5:1 Packaged in the 5:1 automatic mixing system






Elite HD+

Elite HD+ is an addition silicone that combines the effects of nanotechnology with hydro-compatibility, thus guaranteeing high performance in a variety of clinical conditions, even the most difficult.

The nanoparticles contained inside the silicone increase its flowability to reach the less accessible spaces of the gingival sulcus. The combination of nanotechnology and hydrocompatibility allows you to obtain the information quickly and therefore considerably reduce the risk of bubble formation. It is indicated for the traditional fixed and removable prosthesis in the double, monophase and single step impression techniques.


Available in 3 different packagings according to the type of mixing (manual, mechanical or automatic) and with 6 different consistencies. All high consistency materials, including Putty, can be mixed in a fast and easy way with the automatic mixer for Zhermack 380 ml cartridges with a 5:1 ratio.



Elite HD+ Putty - Light Normal Setting

Characteristics

- Mixing ratio: 1:1 for the cartridge in the 50 ml format or 5:1 for the cartridges in the 380 ml format
- Hydrocompatibility
- Thixotropy (except the super light)
- Ideal working time/setting time ratio
 - Long working time
 - Shorter permanence in the oral cavity
- Different colours according to the viscosity
- Available in tubes also (Regular and Light Body)



Elite HD+ Putty - Light Fast Setting

Advantages

- Resistance to deformation
- Excellent elastic recovery
- High dimensional stability
- Opaque pigments for improved detail reading (Elite HD+ Tray Material, Monophase, Regular Body, Light body and Super Light Body)



Elite HD+ Monophase



3

Product	Delivery system	Viscosity	Recommended technique	Recon	nmended appli	ication	Type of setting	Working time*	Time in mouth*	Setting time*
				Fixed	Removable	Implantology	secting	(min:s)	(min:s)	(min:s)
Elite HD+	Manual mixing	Putty	Double step				Normal Set	2:00	3:30	5:30
Putty Soft	5:1 automatic mixing	Fully	impression	•		•	Fast Set	1:30	2:30	4:00
Elite HD+ Tray	1:1 dispenser	Heavy	Single step				Fast Set	1:30	2:30	4:00
Material	5:1 automatic mixing	неаvy	impression			•	Fast Set	1:30	2:30	4:00
Elite HD+	1:1 dispenser	Monophase	Monophase impression				Normal Set	2:00	3:30	5:30
Monophase	5:1 automatic mixing			•	•	•	Normai set	2.00	5.50	5.50
Elite HD+	1:1 dispenser	Medium	Single step impression				Normal Set	2:00	3:30	5:30
Regular Body	Manual mixing		Double step impression	•	•	•	Normai Set	2.00	5.50	0.00
Elite HD+	Manual mixing		Single step impression				Normal Set	2:00	3:30	5:30
Light Body	1:1 dispenser	Light	Double step impression	•		•	Fast Set	1:30	2:30	4:00
Elite HD+ Super Light Body	1:1 dispenser	Extra Light	Double step impression	•			Fast Set	1:30	2:30	4:00

 * the times mentioned must be intended at 35 °C - 95 °F

Product	lite HD+ Type 0 Putty Consistency		Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)	Shelf-life
Elite HD+ Putty Soft			> 99.5 %	< 0.2 %	60	3 years
Elite HD+ Tray Material	Type 1 Heavy-Bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	60	3 years
Elite HD+ Monophase	Type 2 Medium-Bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	60	3 years
Elite HD+ Regular Body Type 2 Medium-Bodied Consistency		3 - 5 %	> 99.5 %	< 0.2 %	45	3 years
Elite HD+ Light Body	Type 3 Light-Bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	45	3 years
Elite HD+ Super Light Body Type 3 Light-Bodied Consistency		3 - 5 %	> 99.5 %	< 0.2 %	45	3 years



Impression systems / Master impression



Elite HD+ Putty Soft - Very high viscosity A-Silicone

Code	Setting time	Packaging
C203000	Normal Set	Standard Dark 250 ml Para 1 250 ml Catalyst type
C203010	Fast Set	Standard Pack: 250 ml Base + 250 ml Catalyst tubs
C203002	Normal Set	Fac Deals 2.4 450 ml Deace + 2.4 450 ml Catalusta la
C203012	Fast Set	Eco Pack: 2 x 450 ml Base + 2 x 450 ml Catalyst tubs
C203100	Normal Set	Intro Kit: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal, 1 x 50 ml Light Normal, 1 x 50 ml Regular Normal + 12 mixing tips yellow + 6 oral tips yellow + 1 Dispenser D2



Code	Setting time	Packaging
C202340	Normal Set	Standard Pack: 2 x 380 ml cartridges (Base + Catalyst) + 15 dynamic-static mixing tips
C202360	Fast Set	+ 2 mixing tip lockers
C202350	Normal Set	Eco Pack: 6 x 380 ml cartridges (Base + Catalyst) + 2 mixing tip lockers
C202370	Fast Set	



NORMAL 5:1 FAST

NORMAL

FAST

Elite HD+ Tray Material - High viscosity A-Silicone

Code	Setting time	Packaging
C202032	Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 6 mixing tips green

Elite HD+ Maxi Tray Material - High viscosity A-Silicone

Code	Setting time	Packaging
C202320	Fast Set	Standard Pack: 2 x 380 ml cartridges (Base + Catalyst) + 15 dynamic-static mixing tips + 2 mixing tip lockers
C202330	Fast Set	Eco Pack: 6 x 380 ml cartridges (Base + Catalyst) + 2 mixing tip lockers




Elite HD+ Monophase - Medium viscosity A-Silicone

Code	Setting time	Packaging
C202020	Normal Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips yellow







Elite HD+ Maxi Monophase - Medium viscosity A-Silicone

Code	Setting time	Packaging
C202300	Normal Set	Standard Pack: 2 x 380 ml cartridges (Base + Catalyst) + 15 dynamic-static mixing tips + 2 mixing tip lockers + 15 intraoral tips
C202310	Normal Set	Eco Pack: 6 x 380 ml cartridges (Base + Catalyst) + 2 mixing tip lockers + 15 intraoral tips

Elite HD+ Regular Body - Medium viscosity A-Silicone

Code	Setting time	Packaging
C203020	Normal Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips yellow
C203025	Normal Set	Standard Pack: 2 x 90 ml tubes (Base + Catalyst)
C203100	Normal Set	Intro Kit: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal, 1 x 50 ml Light Normal, 1 x 50 ml Regular Normal + 12 mixing tips yellow + 6 intraoral tips + 1 Dispenser D2

Elite HD+ Light Body - Low viscosity A-Silicone

Code	Setting time	Packaging
C203030	Normal Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips yellow
C203035	Normal Set	Standard Pack: 2 x 90 ml tubes (Base + Catalyst)
C203100	Normal Set	Intro Kit: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal, 1 x 50 ml Light Normal, 1 x 50 ml Regular Normal + 12 mixing tips yellow + 6 intraoral tips + 1 Dispenser D2

Elite HD+ Light Body - Low viscosity A-Silicone

Code	Setting time	Packaging
C203040	Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips yellow



Code	Setting time	Packaging
C203050	Fast Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 12 mixing tips yellow



For automatic mixing of the 5:1 systems we recommend the use of Modulmix. More details on page $1\overline{26}$




5:1 Packaged in the 5:1 automatic mixing system



37

Elite P&P, Precision & Performance, is the line of A-Silicones indicated for impression taking in the single step technique with two viscosities or in double step impression. Elite P&P is available in three viscosities putty, regular and light, and is a product that meets the different needs of the dental practice.

The light and regular formulas are of immediate and easy use. They are available in comfortable self-mixing cartridges which allow a fast extrusion of the material, and in 1:1 ratio tubes (which do not require the use of a dispenser). It may be the solution for users of C-Silicones that wish to experience a material which is more precise than the one normally used. Impressions taken with Elite P&P remain stable over time, allowing accurate models, even after two weeks.



Elite P&P Putty Fast - Light Fast


Characteristics

- 1:1 mixing ratio
- Thixotropy
- Ideal working time/setting time ratio
 Long working time
 - Shorter permanence in the oral cavity
- Biocompatibility
- Available in tubes also (Regular and Light Body)


Advantages

- High accuracy in the reproduction of details
- High tear resistance
- Excellent recovery from deformation
- High dimensional stability





Elite P&P Putty Normal - Regular



Elite P&P Putty Normal - Regular



2

Product	Delivery system	Viscosity	Recommended technique		mended ication	Type of setting	Working time* (min:s)	Time in mouth* (min:s)	Setting time* (min:s)
_				Fixed	Removable		(11111.5)	(111113)	
Elite P&P	Manual mixing	Putty	Single step impression	•	•	Normal Set	2:00	3:30	5:30
Putty Soft	Manual mixing	Pully	Double step impression	•		Fast Set	1:30	2:30	4:00
Elite P&P	1:1 dispenser		Single step impression	•		NevroelCet	2.00	2.20	5.20
Regular Body	Manual mixing	Medium	Double step impression	•	•	Normal Set	2:00	3:30	5:30
Elite P&P	Manual mixing	Light	Single step impression	•		Normal Set	2:00	3:30	5:30
Light Body	1:1 dispenser	Light	Double step impression			Fast Set	1:30	2:30	4:00

* the times mentioned must be intended at 35 °C - 95 °F

Product	ISO 4823	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)	Shelf-life
Elite P&P Putty Soft	Type 0 Putty Consistency	1 - 3 %	> 99.0 %	< 0.2 %	60 ± 2	3 years
Elite P&P Regular Body	Type 2 Medium-Bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	45 ± 2	3 years
Elite P&P Light Body	Type 3 Light-Bodied Consistency	3 - 5 %	> 99.5 %	< 0.2 %	45 ± 2	3 years



Impression systems / Master impression



Elite P&P Putty Soft - Very high viscosity A-Silicone

Code	Setting time	Packaging
C206000	Normal Set	Standard Pack: 250 ml Base + 250 ml Catalyst tubs
C206001	Fast Set	Stanuaru Pack: 250 mi base + 250 mi Catalyst tubs
C206100	Normal Set	Intro Kit Light Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Light Body Normal + mixing pad
C206101	Normal Set	Intro Kit Regular Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Regular Body Normal + mixing pad
C206102	Normal Set	Intro Kit Light Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 50 ml cartridges Light Body Normal + D2 Dispenser + 6 mixing tips yellow + 2 oral mixing tips
C206110	Normal Set	Trial Kit Light Normal Set: 100 ml Base + 100 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Light Body Normal

Elite P&P Regular Body - Medium viscosity A-Silicone

Code	Setting time	Packaging
C206021	Normal Set	Standard Pack: 2 x 60 ml tubes (Base + Catalyst)
C206012	Normal Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 6 mixing tips yellow
C206101	Normal Set	Intro Kit Regular Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Regular Body Normal + mixing pad

Elite P&P Light Body - Low viscosity A-Silicone

Code	Setting time	Packaging
C206020	Normal Set	Standard Pack: 2 x 60 ml tubes (Base + Catalyst)
C206010	Normal Set	Standard Pack: 2 x 50 ml cartridges (Base + Catalyst) + 6 mixing tips yellow
C206011	Fast Set	
C206100	Normal Set	Intro Kit Light Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Light Body Normal + mixing pad
C206102	Normal Set	Intro Kit Light Normal Set: 250 ml Base + 250 ml Catalyst tubs Putty Soft Normal + 2 x 50 ml cartridges Light Body Normal + D2 Dispenser + 6 mixing tips yellow - 2 oral mixing tips
C206110	Normal Set	Trial Kit Light Normal Set: 100 ml Base + 100 ml Catalyst tubs Putty Soft Normal + 2 x 60 ml tubes Light Body Normal



NORMAL FAST






Hydrorise | Hydrorise Implant | Elite HD+ | Elite P&P

Accessories

Impression systems / Master impression



*







Zetaplus System | Zetaflow System

C-Silicones

Impression systems / Master impression

High performance condensation silicones for impressions in fixed and removable prostheses. A Zhermack quality guarantee, for over 35 years.

More economical than addition silicones or polyethers, they are characterized by a good accuracy and an ideal working time/setting time ratio. They reach an extraordinary thixotropy thanks to the "Flow Conditioning" effect, which gives the material a high stability in the quiescent state. Pressure, moisture and heat, which are conditions that prevail when introducing the impression tray in the oral cavity, immediately increase the fluidity of the material and guarantee an impression taking that is very precise along the edges. The different scents, from mint to orange, make the treatment more pleasant for the patient and professionals.



Zetaplus - Oranwash

Characteristics


- High initial flowability and excellent rigidity after hardening for the putties
- Thixotropy for the washes
- High tear resistance

Advantages

- Excellent relation between rigidity and elasticity
- Ideal working time/setting time ratio
- High flowability and accuracy of wash materials
- Putty and wash materials with the same catalyst (one for Zetaplus System and one for Zetaflow System)



Zetaplus - Oranwash



Zetaflow Putty - Light



000

Product	Delivery system	Viscosity	Recommended technique		mended cation Removable	Type of setting	Working time* (min:s)	Time in mouth* (min:s)	Setting time* (min:s)
Zetaplus	Manual mixing	Putty	Double step impression	٠		Normal Set	1:15	3:15	4:30
Zetaplus Soft	Manual mixing	Putty	Double step impression	٠		Normal Set	1:15	3:15	4:30
Thixoflex M	Manual mixing	Medium	Monophase impression Double step impression	•	•	Normal Set	2:00	3:30	5:30
Oranwash L	Manual mixing	Light	Double step impression	٠		Normal Set	1:30	3:30	5:00
Oranwash VL	Manual mixing	Extra Light	Double step impression	٠		Normal Set	1:30	3:30	5:00
Zetaflow Putty	Manual mixing	Putty	Double step impression	٠		Normal Set	1:15	3:15	4:30
Zetaflow Light	Manual mixing	Extra Light	Double step impression	٠		Normal Set	2:00	3:30	5:30

* the times mentioned must be intended at 35 °C - 95 °F

Product	ISO 4823	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)
Zetaplus	Type 0 Putty Consistency	2 - 5 %	> 98 %	< 0.2 %
Zetaplus Soft	Type 0 Putty Consistency	2 - 5 %	> 98 %	< 0.2 %
Thixoflex M	Type 3 Light-Bodied Consistency	2 - 8 %	> 99 %	< 0.7 %
Oranwash L	Type 3 Light-Bodied Consistency	2 - 8 %	> 99 %	< 0.7 %
Oranwash VL	Type 3 Light-Bodied Consistency	2 - 8 %	> 99 %	< 0.7 %
Zetaflow Putty Type 0 Putty Consistency		2 - 5 %	> 98 %	≤ 0.2 %
Zetaflow Light	Type 3 Light-Bodied Consistency	2 - 8 %	> 99 %	≤ 0.7 %



Zetaplus System | Zetaflow System

Codes

Impression systems / Master impression



Zetaplus - Very high viscosity C-Silicone

Code	Setting time	Packaging
C100600	Normal Set	Standard Pack: 1 tub 900 ml (1.53 kg)
C100312	Normal Set	Standard Pack: 1 tub 1800 ml (3 kg)
C100468	Normal Set	Standard Pack: 1 tub 10 kg
C100720	Normal Set	Zetaplus L Trial Kit: Zetaplus 200 ml + Oranwash L 40 ml + Indurent Gel 60 ml + mixing block (20 sheets)
C100730	Normal Set	Zetaplus L Intro Kit: Zetaplus 900 ml + Oranwash L 140 ml + Indurent Gel 60 ml + mixing block (20 sheets)

Zetaplus Soft - Very high viscosity C-Silicone

Code	Setting time	Packaging
C100610	Normal Set	Standard Pack: 1 tub 900 ml (1.53 kg)
C100740	Normal Set	Zetaplus VL Intro Kit: Zetaplus Soft 900 ml + Oranwash VL 140 ml + Indurent Gel 60 ml + mixing block (20 sheets)

Thixoflex M - Medium viscosity C-Silicone

Code	Setting time	Packaging
C100670	Normal Set	Standard Pack: 1 tube 140 ml

Oranwash L - Low viscosity C-Silicone

Code	Setting time	Packaging
C100660	Normal Set	Standard Pack: 1 tube 140 ml
C100720	Normal Set	Zetaplus Oranwash L Trial Kit: Zetaplus 200 ml + Oranwash L 40 ml + Indurent Gel 60 ml + mixing block (20 sheets)





Oranwash VL - Low viscosity C-Silicone

Code	Setting time	Packaging
C100650	Normal Set	Standard Pack: 1 tube 140 ml
C100740	Normal Set	Zetaplus VL Intro Kit: Zetaplus Soft 900 ml + Oranwash VL 140 ml + Indurent Gel 60 ml + mixing block (20 sheets)

Zetaflow Putty - Very high viscosity C-Silicone

Code	Setting time	Packaging
C100800	Normal Set	Standard Pack: 1 tub 900 ml (1.53 kg)
C100850	Normal Set	Zetaflow Intro Kit: Zetaflow Putty 900 ml + Zetaflow Light 140 ml + Zetaflow Catalyst 60 ml + mixing block (20 sheets)

Zetaflow Light - Low viscosity C-Silicone

Code	Setting time	Packaging
C100810	Normal Set	Standard Pack: 1 tube 140 ml
C100850	Normal Set	Zetaflow Intro Kit: Zetaflow Putty 900 ml + Zetaflow Light 140 ml + Zetaflow Catalyst 60 ml + mixing block (20 sheets)

Catalysts

Indurent Gel - Gel catalyst for C-Silicones

Code	In combination with	Packaging
C100700	Zetaplus System	1 tube 60 ml

Zetaflow Catalyst - Specific gel catalyst for Zetaflow Putty

Code	In combination with	Packaging
C100890	Zetaflow System	1 tube 60 ml



For the mechanical mixing of the fluid materials we recommend to use Alghamix II with the appropriate mixing disk with dosing scale. More details on page 124



Orthogum is a special very high viscosity and fast setting silicone, specially designed for impression taking in orthodontics.


It is characterized by a high elasticity and a pleasing chewing-gum scent which allows emetic reflex reduction, for an impression taking that reduces stress for the operator and that it is much more comfortable especially for patients in the paediatric age.

Characteristics

- Fast setting
- High elasticity
- High tear resistance

Advantages

- Precise impressions in the presence of fixed orthodontic appliances
- Fast and easy mixing with the gel catalyst
- Good dimensional stability and possibility of casting the model within a maximum time of 72 hours
- Possibility of obtaining several models with the same impression
- Pleasant scent



Orthogum



Product	Delivery system	Viscosity	Recommended technique	Recommended application	Type of setting	Working time* (min:s)	Time in mouth* (min:s)	Setting time* (min:s)
Orthogum	Manual mixing	Putty	Single impression technique	Fixed orthodontic appliances	Normal Set	0:60	0:60	2:30

* the times mentioned must be intended at 35 °C - 95 °F

Product	ISO 4823	Strain in compression	Elastic recovery	Linear dimensional change (after 24 h)
Orthogum	Type 0 Putty Consistency	2 - 5 %	> 99 %	< 0.35 %

Orthogum - Very high viscosity C-Silicone specific for orthodontics

	Code	Packaging
_	C100550	Standard Pack: 1 tub 1500 ml (2.46 kg)

Indurent Gel - Gel catalyst for C-Silicones

	Code	Packaging
_	C100700	Standard Pack: 1 tube 60 ml



Impression systems / Master impression









Impression systems

Transparent matrix

Elite Glass is the addition silicone recommended for the construction of highly transparent matrices that allows to resolve multiple imperfections with excellent aesthetic results. It is used in the most modern therapeutic protocols. For sophisticated services it is suitable for an aesthetic restoration that satisfies every patient, even the most demanding.



Elite glass is an addition silicone specific for the creation of transparent matrices for aesthetic reconstructions in light-curing composite, with direct technique and indirect technique.

Its high transparency and correct processing time make it particularly effective for dischromy, diastemia, fractures, rotation, conoids and other types of dental malformations.

Characteristics

- Precise because dimensionally stable over time and after disinfection
- High final hardness (70 Shore A)
- Easily repositionable in mouth once polymerized
- After polymerization can be finished with cutters or other sharp tools

Advantages

- High transparency of the material
- Excellent photopolymerization of the composite used for restoration
- High quality standards of the aesthetic restoration
- Versatility of use





Elite Glass



Elite Glass

Product	Delivery system	Recommended technique	Viscosity	Recommended applications	Type of setting	Working time* (min:s)	Setting time* (min:s)	Detail reproduction	Linear dimensional change (after 24 h)	Hardness (Shore A)
Elite Glass	1:1 dispenser	Monophase impression	Medium	Transparent matrices for veneering	Fast	0:40	2:10	20 µm	0.18 %	70

* the times mentioned must be intended at 35 °C - 95 °F



A-Silicone	for transparent matrices	
------------	--------------------------	--

	-	
Code	Packaging	
C401610	Standard Pack: 2 x 50 ml cartridges + 6 mixing tips green	



Impression systems / Transparent matrix









Impression systems Bite registration

The exact reproduction of the occlusal plane between the arches is essential for the correct execution of a prosthetic product. A perfect impression is not enough as you also need a complete reproduction of the bite. This can be obtained by using materials which are remarkable by their high ease of use and fidelity in bite registration thanks to their hardness, with the advantage of having a consistency that is imperceptible to the patient.

Because of their versatility, they are used in the occlusal registration in fixed or removable prostheses, from standard applications to special applications. The Zhermack range of bite registration products also offers materials for bite registrations that are compatible with most optical reading CAD-CAM systems.

A-SILICONES FOR BITE REGISTRATION

Occlufast Rock	56
Occlufast CAD	56
Colorbite D	56
Colorbite Rock	56



Occlufast | Colorbite

A-Silicones

Occlufast and **Colorbite** are specific A-Silicones for bite registration. Their consistency is imperceptible to the patient, they have a high hardness that allows an easy milling and avoids compressions and incorrect repositioning.

They are easy to place and very precise, and are particularly indicated for bite registrations of maximum intercuspation, intermaxillary centric, protrusion or lateral registration keys. They also provide a valid solution for gnathologic evaluations and for the diagnosis of skull-cervico-mandibular disorders and for the centric occlusion in orthodontics.

Colorbite D and Colorbite Rock are thermochromic addition silicones that change colour according to the temperature and indicate when setting time is complete to minimize the possibility of error.



Occlufast CAD

Occlufast

Characteristics

- Imperceptible consistency
- Minimum permanence in the oral cavity
- Thixotropic: allows you to easily control the positioning on the occlusal plane
- High final hardness (95 Shore A)



Occlufast Rock



Occlufast Rock

Advantages

- Imperceptible to the patient who closes in a natural way
- Easy handling and bubble-free thanks to the cartridge mixing
- Accurate and stable impressions
- Positioning control
- Flowable to avoid pressure and slipping during positioning
- High dimensional stability
- Does not need to be heated for use like wax (greater comfort for the patient)
- Occlufast CAD is compatible with optical reading, laser and tactile CAD-CAM scanners

Colorbite

Characteristics

- Thermochromic: a technology which uses temperature-sensitive pigments
- Can be repositioned for a check after setting
- Easy to finish
- Colorbite Rock: raspberry scent, purple color at 23 °C (73 °F) and pink over 30 °C (86 °F)
- Colorbite D: lime scent, green color at 23 °C (73 °F) and yellow over 30 °C (86 °F)
- Quick setting in the oral cavity



Colorbite D



- Colorbite D: extremely rigid and hard (45 Shore D)
- Imperceptible to the patient who closes in a natural way
- The thermochromic pigments indicate the completed setting and allow you to visually check the various phases, thus minimizing the possibility of error
- Easy to position
- High dimensional stability
- Does not need to be heated for use like wax (greater comfort for the patient)
- Visible control of the various steps



Colorbite Rock

Bite registration materials	Delivery system	Working time* (min:s)	Time in mouth* (min:s)	Scent	Thermochromic	Scannable	Detail reproduction	Linear dimensional change (after 24 h)	Hardness
Occlufast Rock	1:1 dispenser	0:30	0:60				20 µm	0.05 %	95 Shore A
Occlufast CAD	1:1 dispenser	0:30	0:60			Compatible with most CAD/CAM systems present on the market	20 µm	0.05 %	95 Shore A
Colorbite D	1:1 dispenser	0:30	0:60	Lime	•		20 µm	0.05 %	45 Shore D
Colorbite Rock	1:1 dispenser	0:30	0:45	Raspberry	•		20 µm	0.05 %	95 Shore A

* the times mentioned must be intended at 35 °C - 95 °F



57

Occlufast | Colorbite

Codes

Impression systems / Bite registration



Occlufast Rock - A-Silicone for bite registration				
Code	Packaging			
C200726	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips green			

ń	L	

Occlufast CAD - A-Silicone for bite registration						
Code	Packaging					
C200800	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips green					



Colorbite D - Thermochromic A-Silicone for bite registration

	5
Code	Packaging
C200750	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips green

GREEN at room temperature | YELLOW at 35 °C in the mouth



Colorbite Rock - Thermochromic A-Silicone for bite registration

Code	Packaging
C200760	Standard Pack: 2 x 50 ml cartridges + 12 mixing tips green

PURPLE at room temperature | PINK at 35 °C in the mouth




Accessories









Impression systems Relining

For a correct adaptation of the prosthesis to the concerned mucosa, to maintain its stability and preserve its oral functionality, Zhermack proposes the Elite Relining materials.

They are easy to use and provide immediate relief to the patient in a single appointment, save chair time and have long-term results. They have an ideal consistency, a neutral flavour and the pink colour is providing pleasing aesthetics.

A-SILICONE FOR RELINING	
Elite Soft Relining	62
RESIN FOR RELINING	

Elite Hard Relining	Elite	Hard	Rel	<mark>ining</mark>		63
---------------------	-------	------	-----	--------------------	--	----



A-Silicone for relining

Elite Soft Relining is an A-Silicone for the preparation of soft relining on complete, partial or rehabilitation prostheses.

Easy to use, it is particularly indicated for direct application in the dental practice as well as in the laboratory.

Characteristics

- 1:1 Mixing ratio
- Excellent bonding to prosthetic base with Zhermack Elite Relining Primer special adhesive
- In order to obtain smooth and stable edges, use the special Zhermack Varnish A+B on the margins
- Odourless and tasteless
- Pink Colour
- AdvantagesEase of use
- Elastic memory to make the prosthesis more stable
- It permits masticatory load absorption
- Suitable for direct use in the practice and for indirect use in the laboratory
- Chair time saving and immediate comfort for the patient



Product	Working time* (min:s)	Trimming time* (direct method) (min:s)	Time in mouth* (direct method) (min:s)	Elastic recovery	Linear dimensional change (after 24 h)	Hardness (Shore A)
Elite Soft Relining	0:60	0:60	5:00	99.9 %	< 0.2 %	35

* the times mentioned must be intended at 35 °C - 95 °F

Elite Soft Relining - A-Silicone for relining

Code	Packaging
C700100	Standard Pack: 1 cartridge 50 ml + 6 mixing tips yellow + 1 Primer 4 ml + 1 Varnish A 5 ml + 1 Varnish B 5 ml + 1 finishing bur + 1 mixing plate + 1 brush handle + 12 brushes
C700130	Refill: 1 cartridge 50 ml + 6 mixing tips yellow
C700140	1 bottle, Primer 4 ml
C202070	Mixing tips yellow (48 pcs)
C202100	D2 Dispenser 1:1





Resin for relining

Elite Hard Relining is a rigid and self-curing resin for

direct relining in the dental practice of complete or partial dentures.

Characteristics

- Easy and fast working
- Odourless and tasteless
- Pink colour

Advantages

- Highly tolerable by the patient
- Develops low temperatures during polymerization
- The colour does not interfere with the existing prosthetic base



Product	Powder/liquid mixing ratio	Curing time* (min:s)	Water absorption	Water solubility
Elite Hard Relining	2.2 g / 1.4 ml	30:00	max 32 µg/mm³	max 8 µg/mm³

* in water at 50-60 °C / 122-140 °F

Elite Hard Relining - Relining resin

=	Code	Packaging
Ō	C710080	Standard Pack: 1 Powder 60 g + 1 Liquid 40 ml + 1 Primer 10 ml





Impression systems Accessories

To meet the needs of dental professionals, Zhermack offers everything needed for taking an impression. Completing the wide range of impression materials is a series of accessories specifically designed to improve the quality of impression taking.

A wide range of specific impression trays according to the needs of the clinical case: fixed prosthesis - metal and plastic - and for removable prostheses - rigid plastic. In addition when it is necessary to have a custom tray, the light-curing resins are available. An adhesive to increase the adherence between the tray and the material. A wide range of retraction cords to correctly prepare the gingival margin. Solutions developed to increase the productivity of the dental practice.

IMPRESSION TRAYS

Hi-Tray Metal	66
Hi-Tray Light Clear	67
Hi-Tray Light Plastic	68
Hi-Tray Light Edentulous	69
Hi-Tray Dual Light Arch	70

CUSTOM IMPRESSION TRAYS

Elite	LC	Tray	71
Elite	LC	Tray ROUND	71

GINGIVAL DISPLACEMENT			
Elite Cord	72		

ADHESIVE FOR TRAYS

Universal Tray Adhesive 73



Zhermack offers a wide range of impression trays for fixed prosthesis, in metal and in plastic, and for removable prosthesis, in rigid plastic. The Zhermack range of impression trays is also suitable for many uses such as models in the practice, bruxism bites, whitening masks, sports masks for bites, impressions for custom impression trays, preliminary impressions, impressions for in-lay and on-lay, etc.

The **Hi-Tray Metal** are BSA stainless steel trays with 16.70 % chrome for standard applications.

Characteristics

- Can be sterilized in a cold solution or in autoclave
- Available in two versions: solid and perforated

Advantages

- High deformation resistance
- Greater precision of the impression
- Rim Lock anchoring system for a perfect adhesion of the material to the impression tray
- Excellent finishing
- Soldering point accuracy
- Durability

Single packaging in the solid impression tray version:

Size	1	2	3	4	5
Upper	D51SS	D52SS	D53SS	D54SS	D55SS
Lower	D51IS	D52IS	D53IS	D54IS	D55IS

Single packaging in the perforated impression tray version:

Size	1	2	3	4	5
Upper	D51SP	D52SP	D53SP	D54SP	D55SP
Lower	D51IP	D52IP	D53IP	D54IP	D55IP



Hi-Tray Metal perforated upper



Hi-Tray Metal solid upper

Kit pack: 1 kit contains 5 upper trays and 5 lower trays

D5K10S	solid
D5K10P	perforated

Kit pack: 1 kit contains 4 upper trays and 4 lower trays

D5K08S	solid	
D5K08P	perforated	



Hi-Tray Metal perforated lower



Hi-Tray Metal solid lower



Impression trays in clear plastic

The **Hi-Tray Light Clear** are clear plastic impression trays for standard applications or for applications with light-curing materials.

Characteristics

- Made in clear plastic
- Available in the following versions:
 Small upper and lower
 - Medium upper and lower
 - Large upper and lower


Advantages

- Transparent
- Disposable
- Autoclavable
- Rigid
- Perforated design for improved mechanical retention
- Reinforced grip with ribbing for a better distribution of the pressure exerted

Standard packs 12 pieces available in the following versions:

Size	Small	Medium	Large
Upper	D5CSUP	D5CMUP	D5CLUP
Lower	D5CSLO	D5CMLO	D5CLLO







Hi-Tray Light Clear lower



Hi-Tray Light Plastic

Impression trays in plastic

The **Hi-Tray Light Plastic** are impression trays in grey rigid plastic for standard applications.

Characteristics

- Constructed in grey rigid plastic
- Available in the following versions:
 - Small upper and lower
 - Medium upper and lower
 - Large upper and lower



Hi-Tray Light Plastic upper

Advantages

- Adaptable
- Disposable
- Rigid
- Perforated design for improved mechanical retention
- Reinforced grip with ribbing for a better distribution of the pressure exerted

Standard packs 12 pieces available in the following versions:

Size	Small	Medium	Large
Upper	D5GSUP	D5GMUP	D5GLUP
Lower	D5GSLO	D5GMLO	D5GLLO



Hi-Tray Light Plastic lower



Hi-Tray Light Edentulous

Impression trays in plastic

The **Hi-Tray Edentulous** are impression trays in green rigid plastic for edentulous applications.

Characteristics

- Constructed in green rigid plastic
- Available in the following versions:
- Small upper and lower
- Medium upper and lower
- Large upper and lower



Hi-Tray Light Edentulous upper

Advantages

- Disposable
- Adaptable
- Rigid
- Perforated design for improved mechanical retention

Standard packs 12 pieces available in the following versions:

Size	Small	Medium	Large
Upper	D5ESUP	D5EMUP	D5ELUP
Lower	D5ESLO	D5EMLO	D5ELLO



Hi-Tray Light Edentulous lower



Impression trays in plastic

The **Hi-Tray Light Dual Arch** are impression trays in plastic for the dual arch technique in fixed prostheses.

Characteristics

- Plastic structure, of various colors
- Disposable
- Support webbing in white plastic
- Available in 5 types:
 - Full arch
 - Anterior
 - Quadrant
 - Posterior
 - Wide body posterior

Advantages

- The support webbing lets silicone through to form a single body between the upper and lower impressions
- The thickness of the support webbing is imperceptible to the patient (avoiding alterations during bite registration)
- Clear plastic lets you view the correct position of the impression tray on the preparation



Hi-Tray Light Dual Arch

Code	Packaging
D5DANT	Hi-Tray Light Dual Arch anterior 30 pcs
D5DFUL	Hi-Tray Light Dual Arch full arch 30 pcs
D5DPLE	Hi-Tray Light Dual Arch posterior sideless 48 pcs
D5DPOS	Hi-Tray Light Dual Arch posterior 48 pcs
D5DQUA	Hi-Tray Light Dual Arch quadrant 40 pcs



Elite LC Tray | Elite LC Tray ROUND

Light-curing resins

Impression systems / Accessories

Elite LC Tray is the line of light-curing resin plates for making custom impression trays and removable prosthesis bases.

Easy and quick to use, it meets the needs of the dental pratice by optimising working times without compromising on quality.

Characteristics

- Cured with either halogen or UV light (3 5 minutes)
- Stable to daylight or artificial light for about 20'
- Available in three colours: blue, white and pink
- Minimum shrinkage after curing



Advantages

- Easy to model, not sticky
- Quick, saves time with respect to traditional self-curing resins
- Uniform thickness





Elite LC Tray

Product	Curing time (min:s)	Thickness	Hardness (Shore D)	Curing
Elite LC Tray	3:00 - 5:00	2.5 mm	80	UV light (350 - 400 nm) Halogen light (420 - 480 nm)
Elite LC Tray ROUND	3:00 - 5:00	2.5 mm	80	UV light (350 - 400 nm) Halogen light (420 - 480 nm)

Elite LC Tray - Light-curing resin plates for individual trays

Code	Packaging
D500011	Elite LC Tray White (50 pcs)
D500021	Elite LC Tray Pink (50 pcs)
D500031	Elite LC Tray Blue (50 pcs)

Elite LC Tray ROUND - Light-curing resin plates for individual trays

Code	Packaging
D500050	Elite LC Tray ROUND White (50 pcs)
D500052	Elite LC Tray ROUND Pink (50 pcs)
D500054	Elite LC Tray ROUND Blue (50 pcs)



Elite Cord is recommended for gingival displacement before impression taking in fixed prostheses; before adhesive reconstructions and/or restorations and in operations near the marginal tissues (for example, preparation of the sub-gingival margins).

Characteristics

- Non-impregnated cord
- Made from 100 % cotton fibre
- Interlinked knitted structure
- Each bottle contains 275 cm of cord
- Available in five thicknesses identified by different colours:
 - # 000 size (black)
 - # 00 size (yellow/black)
 - # 0 size (purple/white)
 - # 1 size (blue/white)
 - # 2 size (green/white)
- · Compatible with all types of commercially available haemostatic solution

Advantages

- Easy and quick to position in the gingival sulcus thanks to its interlinked structure and high dimensional stability
- Optimal gingival displacement without trauma, thanks to the light but constant elastic pressure applied on the gingival tissue
- Effective control of the flow of fluid in the sulcus, thanks to the highly absorbent power of the 100 % cotton fibre
- Wide range of thicknesses, enabling the required gingival displacement to be obtained with all gum types



Elite Cord



Elite Cord

Code	Packaging
C610000	Elite Cord # 000 (1 x 275 cm)
C610010	Elite Cord # 00 (1 x 275 cm)
C610020	Elite Cord # 0 (1 x 275 cm)
C610030	Elite Cord # 1 (1 x 275 cm)
C610040	Elite Cord # 2 (1 x 275 cm)
C610001	Elite Cord kit # 000 (5 x 275 cm)
C610011	Elite Cord kit # 00 (5 x 275 cm)
C610021	Elite Cord kit # 0 (5 x 275 cm)
C610031	Elite Cord kit # 1 (5 x 275 cm)
C610051	Elite Cord kit # 000 - 00 - 0 - 1 - 2 (5 x 275 cm)



Adhesive for A-Silicones

Universal Tray Adhesive is a specific adhesive for

A-Silicones.

Characteristics

- Easy brushing adhesive
- Blue colour

Advantages

- Excellent bonding to metal trays
- Does not create thickness
- Fast solvent evaporation



Universal Tray Adhesive

Code




C700025 10 ml bottle





Impression systems Related products





Gypsum - page 134






Restorative

The preservation of natural teeth and the research of an aesthetic solution are the most important needs for patients. Improving your smile implies specific aesthetic and functional requirements which Zhermack meets with bisacrylic self-curing resins for temporary restorations and universal light-curing composites.

High quality materials, that fulfil the expectations of the patient and the professional.



Restorative

Temporary restorations

Acrytemp is the ideal choice to make provisional crowns and bridges, onlays, inlays and veneers directly in the dental practice, in an easy and fast way, with a high aesthetic impact. It is available in self-mixing cartridges, for a correct and fast application.

Its formula without methyl methacrylate monomer and the low temperature increase during setting, ensure a greater comfort for the patient and preserve tooth vitality.


RESIN FOR TEMPORARY ELEMENTS	
Acrytemp	80



Restorative / Temporary restorations

Acrytemp is a bisacrylic self-curing resin for the fast preparation of provisional elements in the dental practice.

It is practical to use, thanks to the self-mixing system, easy to trim and polish, with a high fracture resistance. Its particular formulation is without methyl methacrylate monomer and allows to maintain low temperatures during the setting reaction that does not irritate the pulp. Acrytemp is available in 3 shades and offers a natural aesthetic effect that reproduces the colour of teeth, to meet the needs of the patients and of the dentist.



Acrytemp

Characteristics

- High fracture resistance
- Methyl methacrylate monomer free
- Low temperature increase during the setting reaction
- The colourings A2; A3; A3,5 allow to meet the most common clinical situations
- Natural fluorescence
- Self-mixing system in 50 ml (4:1) cartridge for an optimal dosage and time saving

Advantages

- Easy handling
- Can be easily trimmed and polished
- Respects the pulp, due to low exothermic setting reaction
- No irritations
- Natural aesthetics effect of the finished provisional elements



Acrytemp



Acrytemp



Product	Recommended applications	Working time (min:s)	Elastic phase from application (min:s)	Setting time (min:s)	Compressive strength	Flexural strength
Acrytemp	Temporary crowns and bridges, inlays, onlays and veneers	0:60	1:15 - 2:10	< 2:10	290 MPa	> 60 MPa



Acrytemp - Resin for temporary elements

Code	Colour	Packaging
C700200	A2	Standard Pack: 1 cartridge 50 ml (76 g) + 15 mixing tips 4:1
C700215	A3	Standard Pack: 1 cartridge 50 ml (76 g) + 15 mixing tips 4:1
C700205	A3,5	Standard Pack: 1 cartridge 50 ml (76 g) + 15 mixing tips 4:1
C700230		D2 dispenser 4:1
C700240		4:1 mixing tips (45 pcs)





Restorative


Permanent restorations

For the preservation of tooth structure, and to limit the preparation of the cavities to the single damaged area, Zhermack offers the Zmack system, a line of universal light-curing composites.

To combine functionality and aesthetics and give patients of all ages their smile back, without compromising the efficiency needs of the dental practice.

SOLUTIONS FOR RESTORATIONS

Zmack Bond	84
Zmack Comp	84
Zmack Etch	84
Zmack Flow	84



Solutions for restorations

Restorative / Permanent restorations

The **Zmack** system offers universal light-curing composites for permanent restorations, that are used in the restoration of cavities of all classes (I, II, III, IV, V).

Zmack is indicated for the restoration of the anterior and posterior areas, for aesthetic restorations, for closing diastemas and for coronal lengthening. It is also possible to use the system for indirect restorations (inlays and onlays) and for veneer construction using direct techniques.

The Zmack System consists of: **Zmack Etch**, an etching gel; **Zmack Bond**, a self-priming adhesive; **Zmack Flow**, a flowable micro-hybrid composite and **Zmack Comp**, a universal micro-hybrid composite. Zmack Flow and Comp are available in a multi shade range for the ideal camouflage. Thanks to its physical properties, Zmack allows high level restorations in terms of quality, performance and aesthetics. The range to choose from, according to the specific clinical indication, represents a valid aid to the dentist and the secret behind the smile of each patient.



Zmack Flow



Zmack Comp



Finished restoration

Zmack System is characterized by:

- Smart colours that mimetically blends with the surrounding tooth
 structure
- Polishes to match natural lustre of enamel
- Shades match to the VITA® guide
- Smart consistency, for an easier job
- Creamy formula, not sticky nor slumpy
- · Self micro-leveling behavior

Zmack Comp satisfies the clinicians requirements with:

- ideal camouflage with the hard tissue of the tooth, thanks to the selected range of eight body shades plus two opaque shades for layering techniques;
- precise & easier job, thanks to the ideal consistency, Zmack Comp perfectly and effortlessly adapts to the margins without slumping;
- universal and functional results, thanks to the micro-hybrid multi-purpose formula. The excellent mechanical properties make Zmack Comp ideal for both anterior and posterior teeth.

Zmack Flow is used in direct restorations of conservative class I, III and V or as a liner and offers:

- smart flowability: great fluidity with self leveling behavior that allows a quick and easy filling and levelling of irregular cavities floors and small cavities and adaptable to cavity walls without use of hand instruments;
- smart colours: shades camouflage with surrounding tooth structure for natural looking results.



Zmack Bond ensures adhesion of all the components for reliable long-lasting results. Unlike other products, Zmack Bond:

- speeds up the working time with a single coat application;
- has the ideal viscosity for homogeneous distribution and penetration without the need for brushing;
- seals the margins, preventing discoloration and restoration failure;
- prevents post-operative sensitivity.

Zmack Etch provides controlled safe conditioning of the tooth surface and prepares them for application of the adhesive, with:

- facilitated positioning, thanks to the creamy gel consistency;
- improved visibility with a clear contrasting effect provided by its blue colour;
- reduced risk of over etching, thanks to the ease of washing and contrast with the tissues.



Zmack Bond

Product not available in all markets



Zmack Etch

Product	Compressive strenght	Flexural strenght	Flexural modulus	Filler content in weight	Filler content in volume	Barcol hardness	Filler particle size	Polymerization shrinkage	Water absorption	Radio opacity
Zmack Comp	383 MPa	139.9 MPa	10700 MPa	77 %	57 %	75 - 90	< 1.00 µm	2.46 % (v/v)	12.18 ug/mm ³	2.4 mm Al
Zmack Flow	350 MPa	129 MPa	5452 MPa	61 %	39%	66	1.41 μm (mean of 1 μm)	4.50 % (v/v)	19.00 ug/mm ³	1.4 mm Al

Product	Polymerization times (curing light output) Application Shades Layer increment		Layer increment	Curing time (min:s)	
Zmack Comp	\geq 500 mW/cm ²	All classes	A1, A2, A3, A3.5, B1, B2, C3	3 mm	0:20
2 таск сотр	2 500 HIW/CHI-	All classes	A2-O, A3.5-O, B3	2 mm	0.20
Zmack Flow	\geq 500 mW/cm ²	Direct Restorations Class I, III, V	A1, A2, A3, A3.5, B1	2 mm	0:20
Zinack How	2 500 mw/cm	Cavity Liner	//1, //2, //3, //3.3, 01	1 mm	0:40
Zmack Bond	\geq 550 mW/cm ²				0:20
	\geq 800 mW/cm ²				0:10

85

Zmack System

Codes

Restorative / Permanent restorations



Zmack Etch - Etchant gel for tissue conditioning

Code	Packaging
C500131	Syringe 3 ml + 25 applicator needles
C500140	Applicator needles (25 pcs)

Zmack Bond - Total etch adhesive

Code	Packaging
C500130	Bottle 4.5 ml
C500141	Flocked applicators (50 pcs)

Zmack Comp - Multi shade range of universal micro-hybrid composites

Code	Colour	Packaging
C500101	A1	Syringe 4 g
C500102	A2	Syringe 4 g
C500103	A3	Syringe 4 g
C500104	A3.5	Syringe 4 g
C500105	A2-0	Syringe 4 g
C500106	A3.5-O	Syringe 4 g
C500110	B1	Syringe 4 g
C500111	B2	Syringe 4 g
C500100		Zmack Kit: Zmack Comp syringes 6 x 4 g (A1, A2, A3, A3.5, B1, B2) + Zmack Bond bottle 5 ml + 50 flocked applicators + Zmack Etch syringe 3 ml + 25 applicator needles

Zmack Flow - Multi shade range of flowable micro-hybrid composites

Code	Colour	Packaging
C510101	A1	Syringe 1 x 1.3 g + 15 tips
C510102	A2	Syringe 1 x 1.3 g + 15 tips
C510103	A3	Syringe 1 x 1.3 g + 15 tips
C510104	A3.5	Syringe 1 x 1.3 g + 15 tips
C510110	B1	Syringe 1 x 1.3 g + 15 tips
C510140		Flowable applicator tips (15 pcs)











Hygiene

200

Cleaning, disinfection and sterilization in a dental practice are a guarantee of protection and safeguarding against infection.

It is therefore essential to choose effective solutions with a full spectrum of action for the safety of professionals and patients. Products free of toxic substances such as phenols and aldehydes, that do not damage instruments and surfaces, with a quick action and easy to use. Products like the Zeta Hygiene range that arise from Zhermack experience in the field of medical and surgical device disinfection and cold sterilization. Innovative and comprehensive solutions, subject to strict production standards, checked and tested according to the latest European Norms. To offer the required level of protection in your dental practice every day.

Surgical and rotating dental instruments disinfection and sterilization Zeta 1 Ultra page 94 page 94 Zeta 2 Enzyme page 94 Zeta 2 Sporex Washable surfaces cleaning Zeta 4 Wash page 98 Impressions disinfection Zeta 7 Spray page 104 Zeta 7 Solution page 104







Zeta 3 Soft Zeta 3 Wipes TOTAL Zeta 3 Foam Zeta 3 Wipes POP-UP

Medical devices surfaces disinfection and cleaning

page 98 page 98 page 98 page 98



Suction unit disinfection, cleaning and deodorisation

Zeta 5 Power act Zeta 5 Unit page 102 page 102



Trays and instruments gypsum and alginate removal Algitray page 106 Gypstray page 106



Zeta 6 Hydra Zeta 6 Drygel Hand cleaning and hygiene page 110 page 110





Hygiene

Instruments and burs

The Zeta Hygiene range offers products with a full spectrum for the disinfection and sterilization of surgical and rotating dental instruments.

Leading edge products characterised by high quality standards for working in complete safety without sacrificing convenience and affordability. Compliant with the latest European Norms on disinfection, respecting both professionals' health, as they are free of harmful substances such as aldehydes and phenols, and instruments as they prevent damage.

Zeta 1 Ultra	9 4
Zeta 2 Enzyme	94
Zeta 2 Sporex	94



Hygiene / Instruments and burs

Zeta 1 Ultra is a concentrated liquid disinfectant and cleaner suitable for all surgical and rotating dental instruments, including the most delicate ones (scalpels, tweezers, mirror, burs, probes, etc.).

Zeta 2 Enzyme is a tri-enzymatic disinfectant and cleaner in powder specific for surgical and rotating instruments before the sterilization treatment.

Zeta 2 Sporex is a cold chemical sterilizer in powder, specific for dental instruments and particularly recommended for all medical devices that cannot be sterilized in an autoclave.



Zeta 2 Sporex

Characteristics

- Complete spectrum of action, developed and tested according to the latest European Norms validated on disinfection
- Aldehyde and phenol-free products
- Excellent compatibility with instruments

Advantages

- Efficacy: full protection for operators and patients
- Safety: free from harmful substances (aldehydes and phenols)
- **Quick and Easy to use:** Zeta 1 Ultra has a practical dosing bottle while Zeta 2 Sporex enables ultra fast sterilization



Zeta 2 Sporex



Zeta 1 Ultra



Zeta 1 Ultra



Zeta 1 Ultra



Product	Type of product	Active ingredients	Dilution	Action time	Distinctive characteristics	Spectrum of action
Zeta 1 Ultra	Disinfectant	Alkylamine, Quaternary Ammonium Salts	1 %	60 minutes in static bath or 15 minutes in ultrasonic bath at 35 ℃	Excellent compatibility with instruments (high metal corrosion protection)	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans, A. niger) Mycobactericidal, including tuberculocidal: EN 14348, EN 14563 (M. terrae, M. avium) Virucidal: EN 14476 (test on Poliovirus, Adenovirus, Norovirus including HIV, HBV, HCV, H1N1, H5N1, all influenza viruses type A humans and animals)
			2 %	30 minutes in the static bath		
Zeta 2 Enzyme	Disinfectant	Active Oxygen, enzymes	2 %	10 minutes	Ultra fast disinfection and enhanced cleaning power thanks to enzymes (protease, amylase and lipase)	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans) Mycobactericidal, including tuberculocidal: EN 14348, EN 14563 (M. terrae, M. avium) Virucidal: EN 14476 (tested on Poliovirus, Adenovirus, Norovirus including HIV, HBV, HCV)
Zeta 2 Sporex	Cold chemical sterilizer	Peracetic Acid	2 %	10 minutes	Ultra fast sterilization	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans, A. niger) Mycobactericidal, including tuberculocidal: EN 14348, EN 14563 (M. terrae, M. avium) Virucidal: EN 14476 (tested on Poliovirus, Adenovirus, Norovirus including HIV, HBV, HCV) Sporicidal: EN 13704 (B. subtilis)



Zeta 2 Enzyme



Zeta 2 Enzyme



Zeta 2 Enzyme



19



Burfaces

A wide range of solutions to fulfill the needs of each user. The Zeta 3 line lets you choose between low alcohol content or alcohol-free products, guaranteeing rapid and deep disinfection of surfaces, including the most delicate ones.

Practical to use and free of harmful substances such as aldehydes and phenols. All Zeta 3 line products clean and disinfect in a single step (2 in 1 action), providing total protection and saving time.

Zeta 3 Soft	98
Zeta 3 Wipes TOTAL	98
Zeta 3 Foam	98
Zeta 3 Wipes POP-UP	98
Zeta 4 Wash	98

Hygiene / Surfaces

Zeta 3 Soft is an alcoholic, ready to use disinfectant and cleaner for medical devices surfaces.

Zeta 3 Wipes TOTAL are wipes impregnated with an alcoholic solution for the rapid disinfection and cleaning of small medical devices surfaces.

Zeta 3 Foam is a ready to use alcohol-free disinfectant and cleaner foam especially recommended for delicate medical devices surfaces.

Zeta 3 Wipes POP-UP are large wipes impregnated with reduced alcohol content solution for the rapid disinfection and cleansing of medical devices surfaces including the most delicate ones.

Zeta 4 Wash is a concentrated cleaner and deodorant solution for large surfaces.



Zeta 3 Soft

Characteristics

- Complete spectrum of action, developed and tested according to the latest European Norms validated on disinfection
- Aldehyde and phenol-free products
- High compatibility with surfaces

Advantages


- Efficacy: full protection for operators and patients
- **Safety:** free from harmful substances (aldehydes and phenols)
- Speed and convenience: disinfection and cleaning in a single step



Zeta 3 Soft



Zeta 3 Wipes TOTAL




Zeta 3 Wipes TOTAL



Zeta 3 Foam



Product	Type of product	Active ingredients	Action time	Applications	Distinctive characteristics	Spectrum of action
Zeta 3 Soft	Disinfectant	Alcohols	1 - 5 minutes	Normal surfaces	Fast, does not leave residue	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans) Tuberculocidal: EN 14348, EN 14563 (M. terrae) Virucidal: EN 14476 (test on Poliovirus, Adenovirus, Norovirus, Parvovirus including HIV, HBV, HCV, H1N1, H5N1, all influenza viruses type A humans and animals)
Zeta 3 Wipes TOTAL	Disinfectant	Alcohols	1 - 5 minutes	Normal surfaces	Practical for small surfaces	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans) Tuberculocidal: EN 14348, EN 14563 (M. terrae) Virucidal: EN 14476 (test on Poliovirus, Adenovirus, Norovirus, Parvovirus including HIV, HBV, HCV, H1N1, H5N1, all influenza viruses type A humans and animals)
Zeta 3 Foam	Disinfectant	Quaternary Ammonium Salts	1 - 5 minutes	Delicate surfaces	Alcohol-free, can be used on all surfaces	Bactericidal: EN 13727, EN 14561 (S. aureus, P. aeruginosa, E. hirae) Fungicidal: EN 13624, EN 14562 (C. albicans) Tuberculocidal: EN 14348, EN 14563 (M. terrae) Virucidal: EN 14476 (tested on Poliovirus, Adenovirus, Norovirus. Parvovirus including HIV, HBV, HCV)
Zeta 3 Wipes POP-UP	Disinfectant	Quaternary Ammonium Salts	1 - 5 minutes	Delicate surfaces	Large, thick and resistant wipes	 Bactericidal: EN 1276, EN 13697, EN 14561 (including MRSA) Fungicidal: EN 13697, EN 14562 (A. niger, A. fumigatus) Yeasticidal: EN 1650, EN 13624, EN 13697, EN 14562 (C. albicans) Tuberculocidal: EN 14348, EN 14563 (M. terrae) Virucidal: EN 14476 (test on Poliovirus, Coronavirus, Norovirus, Adenovirus, Rotavirus including HSV, HCV, HBV, VRS, H1N1, all influenza viruses type A humans and animals)
Zeta 4 Wash	Cleaner	Cationic and Non-ionic Surfactants < 5 %	1 - 5 minutes	Washable surfaces	Does not leave halos and dries quickly	



Zeta 3 Foam



Zeta 3 Wipes POP-UP



Zeta 3 Wipes POP-UP





Hygiene Special applications

Zhermack offers different solutions for specific applications.

SUCTION UNIT DISINFECTANTS AND CLE	ANERS
Zeta 5 Power Act	. 102
Zeta 5 Unit	. 102
IMPRESSIONS DISINFECTANTS AND CLE	ANERS
Zeta 7 Spray	. 104
Zeta 7 Solution	. 104
TRAYS AND INSTRUMENTS GYPSUM ANI ALGINATE REMOVERS	D
Algitray	. 106
Gypstray	. 106



For the disinfection, cleaning and deodorisation of suction units. **Zeta 5** 3-in-1 action allows to disinfect, clean and deodorise with a single product, providing high protection for the professionals and patients and thus prolonging the lifetime of the dental chair. The special non-foaming and non-aggressive formula helps the constant functionality of the suction tubes, avoiding possible clogging of the dental unit.

Zeta 5 Power Act is a concentrated disinfectant and cleaner with a broad spectrum of action that allows to choose between two action times: standard evening disinfection or just 15 minutes* for rapid disinfection.
Zeta 5 Unit is a concentrated disinfectant and cleaner that protects suction units thanks to its non-foaming and non-aggressive formula.



Zeta 5 Power Act

Characteristics

- Non-foaming and non-aggressive formula on aspiration tubes
- · Active in presence of organic material

Advantages

- Efficacy: high protection for operators and patients
- Protection: preserves the dental chair and prolonges its lifespan
- Comfort: disinfection, cleaning and deodorisation in a single product

* excluding tuberculocidal action



Zeta 5 Power Act



Zeta 5 Power Act




Zeta 5 Power Act



Zeta 5 Power Act





* excluding tuberculocidal action



Zeta 5 Unit



Zeta 5 Unit



(**f**_c

Zhermack offers excellent performance products for impression disinfection. A complete spectrum (bactericidal, fungicidal, tuberculocidal and virucidal) and excellent compatibility with different types of impression material. In full compliance with the latest European Norms on disinfection.

Zeta 7 Spray is a ready to use, disinfectant spray, for a quick and easy disinfection of impressions. **Zeta 7 Solution** is a full spectrum concentrated disinfectant.



Zeta 7 Spray

Characteristics

- Complete spectrum of action developed and tested according to the latest European Norms validated on disinfection
- Compatibility with all materials for the impression taking (silicone, alginate, polyether and polysulphides)

Advantages

- Efficacy: complete protection for professionals in dental practices and laboratories
- **Excellent performance:** respects the dimensional stability of impressions characteristics and their compatibility with gypsum and improves accuracy in the reproduction of gypsum models



Zeta 7 Spray



Zeta 7 Solution




Zeta 7 Solution



Zeta 7 Spray







Hygiene / Special applications

Algitray and **Gypstray** are ideal for the cleaning and removal of alginates and gypsum residues from trays and instruments. Guarantees deep cleaning action even in less accessible areas, protecting materials and allowing a safe use in all cases.

Algitray is a specific neutral pH cleaner for the removal of alginate residues from all types of impression trays and other instruments.

Gypstray is a ready to use solution for the removal of gypsum residues from impression trays, spatulas or other instruments.



Algitray and Gypstray

Advantages

- Efficacy: help eliminate all traces of alginate and gypsum even in less accessible areas
- Protection of materials: non-aggressive formula

Product	Type of product	Active ingredients	Dilution
Algitray		Aleinate dissolvers	Soluble powder: 10 %
	Alginate remover	Alginate dissolvers	Liquid: ready to use
Gypstray	Gypsum remover	Gypsum dissolvers	ready to use








Hygiene Hands

Zhermack products are non-aggressive to skin and offer deep cleaning and sanitizing for hand washing, an essential and frequently repeated practice.

Zeta 6 Hydra and Zeta 6 Drygel, enriched with nutrients, are protective and moisturising, respecting the skin and helping prevent irritation.

Zeta 6	b Hydra	
Zeta 6	Drygel	



Hygiene / Hands

Zeta 6 Hydra is an ultra delicate cleaner for frequent use on hands and sensitive skin. **Zeta 6 Drygel** is a special gel for hand cleaning and hygiene.

Characteristics

- Gentle on the skin and enriched with skin-protecting substances and nutrients
- Zeta 6 Hydra does not contain SLES and Parabens found in conventional soap
- Zeta 6 Drygel: perfumed, no rinsing required



Zeta 6 Hydra

Advantages

• User comfort: products that take care of the cleaning and well-being of users' hands



Zeta 6 Drygel



Zeta 6 Drygel





Gloves and sterilization rolls Hygiene / Disposable

In order to completely fulfill the needs of users, Zhermack, has also included disposable products in its Zeta Hygiene line, to provide a complete response to user cleaning and protection needs.

Safemix Latex and **Safemix Nitrile** are powder-free gloves tested for the safe mixing of Zhermack impression A-Silicones. **Zeta Roll** are rolls for sterilization in autoclave.

Characteristics

Gloves:

- · Micro-rough surface for improved material handling
- Reinforced edge

Zeta Roll:

- Fully compliant with standards EN 868, ISO 11140 and ISO 11607
- High tear and perforation resistance


Advantages

Gloves:

- **High quality:** gloves do not inhibit VPS polymerisation and ensure excellent tactile sensitivity
- **Comfort:** designed for an ideal fit
- Efficacy: provide an excellent protective barrier

Zeta Roll:


- **Efficay:** excellent penetration of the vapour or gas sterilising agent
- **Protection:** excellent protection from microbes, thanks to the multiple reinforced side seams and uniform impermeable channels
- **User comfort:** clear indication of successful sterilization with evident colour change of the vapour and gas process indicators



Safemix Latex



Safemix Nitrile



Zeta Roll



Zeta Roll



Zeta Roll





Hygiene solutions

Codes

Hygiene



Surgical and rotating dental instruments disinfectants and sterilizers

Code	Product	Packaging
C810000 Zeta 1 Ultra 1 litre bottle		1 litre bottle
C810001	Zeta 1 Ultra	5 litres container with dosage cap
C810012	Zeta 2 Enzyme	1200 g container with dosing spoon
C810011	Zeta 2 Sporex	900 g container with dosing spoon

Medical devices surfaces disinfectants and cleaners

	Code	Product	Packaging
	C810023	Zeta 3 Soft	750 ml bottle with nozzle trigger spray
	5 litres container (2 x 2.5 litres) with dosage cap		
	C810027	Zeta 3 Soft Classic	750 ml bottle with foamer trigger spray
	C810028	Zeta 3 Soft Classic	5 litres (2 x 2.5 litres) container with dosage cap
	C810025	Zeta 3 Foam	750 ml bottle with nozzle trigger spray
	C810026	Zeta 3 Foam	3 litres container with dosage cap
C810063 Zeta 3 Wipes TOTAL 120 wipes tub		120 wipes tub	
	C810062 Zeta 3 Wipes TOTAL 120 wipes bag refill		120 wipes bag refill
C810064 Zeta 3 Wipes POP-UP		Zeta 3 Wipes POP-UP	100 wipes soft pack
_	C810037	Zeta 4 Wash	3 litres container



Special applications Suction unit disinfectants and cleaners



Code	Product	Packaging
C810040	Zeta 5 Power Act	1 litre bottle
C810038	Zeta 5 Power Act	50 x 10 ml single-dose bags
C800061	Zeta 5 Unit	5 litres container

Special applications Impressions disinfectants and cleaners

Code	Product	Packaging
C810050	Zeta 7 Spray	750 ml bottle with foam cap
C810048	Zeta 7 Solution	1 litre bottle

Special applications Trays and instruments gypsum and alginate removers

Code	Product	Packaging
C400430	Algitray powder	2 x 500 g tub (powder) + measuring cup
C400433	Algitray liquid	3 litres container
C400441	Gypstray	3 litres container

Hands cleaners and sanitizers





Hygiene



Disposable Gloves

Gloves		
Code	Product	Packaging
D600000	Safemix Latex	Pack of 100 size XS gloves
D600010	Safemix Latex	Pack of 100 size S gloves
D600020	Safemix Latex	Pack of 100 size M gloves
D600030	Safemix Latex	Pack of 100 size L gloves
D600040	Safemix Latex	Pack of 100 size XL gloves
D601000	Safemix Nitrile	Pack of 100 size XS gloves
D601010	Safemix Nitrile	Pack of 100 size S gloves
D601020	Safemix Nitrile	Pack of 100 size M gloves
D601030	Safemix Nitrile	Pack of 100 size L gloves
D601040	Safemix Nitrile	Pack of 100 size XL gloves

Disposable Rolls for autoclave sterilization

Code	Product	Packaging
C811010	Zeta Roll	50 mm x 200 m sterilization rolls
C811020	Zeta Roll	75 mm x 200 m sterilization rolls
C811030	Zeta Roll	100 mm x 200 m sterilization rolls
C811040	Zeta Roll	250 mm x 200 m sterilization rolls





Zhermack // 116


Zeta Hygiene nozzle

Dispenser for 3 to 5 litre bottles

Sterilization bath

Multi-purpose sterilization bath with capacity up to 1 litre:

- for surgical and rotating dental instrument disinfection and sterilization with Zeta 1 Ultra, Zeta 2 Enzyme and Zeta 2 Sporex;
- for impression cleaning and disinfection with Zeta 7 Solution;
- for cleaning and removal of alginate and plastic residues from instruments with Algitray and Gypstray.





Equipment

ALL.

A good quality mixing is essential to obtain an impression that contains clear and precise information in order to facilitate the work of the dental technician, thus making the professionals time more efficient and increasing the satisfaction of the patient, who will not need to go back to the dental surgery for a second impression.

The Zhermack equipment is engineered to simplify and accelerate the mixing of the main impression materials: alginates, addition silicones, condensation silicones and dental gypsum.





Equipment Mixers for impression systems

Mechanical or automatic mixing quality is considerably better and faster than manual mixing, allows for greater flexibility in the organization of the work within the practice and helps to better achieve the established results.

Hurrimix² is the centrifugal mixer for alginates and gypsum, which produces a creamy and homogeneous mixture. Alghamix II is the mechanical mixer for alginates, gypsum and condensation silicones which facilitates the mixing. Modulmix is the automatic mixer for addition silicones in the 5:1 system, which makes the mixing excellent and reduces wastage of material.

Hurrimix ²	
Alghamix II	124
Modulmix	



Hurrimix² Centrifugal mixer for alginates and gypsum*

Hurrimix² is the Zhermack solution for mixing alginates and gypsum in the dental practice. Simple to use, it ensures fast and consistent mixing. Reliability is guaranteed by adopted technical solutions. It helps to increase working efficiency in the surgery.

Designed to enhance the quality of mixing, it is available with 20 mixing programs (10 for alginates and 10 for gypsum), including 6 (3 for alginates and 3 for gypsum) customized to meet the needs of the professionals in a simple way. The design is modern and functional and all the details are designed to ensure reliability over time.

Characteristics

- Steel-bronze gears of the motor
- Electronic motherboard with encoder
- Electromagnetic safety lock
- Polycarbonate membrane with soft touch buttons
- Large digital display for easy viewing with helpful status messages and maintenance function icon
- 20 mixing programs:
 - 10 for alginates, 7 customized for Zhermack alginates, 3 free
 - 10 for stones, 7 customized for Zhermack stones, 3 free
- Can mix up to 100 g of materials (powder + water)
- PBT reinforced shell easy to clean with alcohol free disinfectants
- Supplied with:
 - 2 spatulas
 - 1 pre-mix stick
 - 2 alginate 2 stone mixing cups with rounded surface for easy mix removal without phthalates
 - 1 dosing bottle

Advantages

- High mixing quality in a quick easy way
- Homogeneous and consistent creamy mix every time
- Designed to guarantee operational safety
- Easy to clean
- Functional and modern design suits the need of dental clinics
- 4000 cycles or 4 years warranty guarantees a lifespan longer than competitors

Code	Model	Size (L x D x H - mm)	Weight (kg)	Power supply (V/Hz)	Total power (W)
C305140	Hurrimix ² 230 V	270 x 320 x 310	21	230 V \pm 10 % / 50 - 60 Hz	550
C305141	Hurrimix ² 115 V	270 x 320 x 310	21	115 V \pm 10 % / 50 - 60 Hz	550

*Mixing quality guaranteed for Zhermack gypsum: Elite Rock, Elite Master, Elite Stone, Elite Model, Elite Model Fast, Elite Ortho, Elite Arti.



Hurrimix²




Hurrimix²





Equipment / Mixers for impression systems







Alghamix II Mixer for alginates, gypsum and condensation silicones

Equipment / Mixers for impression systems

Alghamix II is the mixer which facilitates and simplifies the mixing of alginates, condensation silicones and dental gypsum. Its use reduces air incorporation during mixing, for an even mixture with less bubbles and without lumps.

Its structure and design are specifically designed to guarantee maximum stability during use. In particular, the ergonomic bowl position provides the practitioner with optimal operating conditions, thereby facilitating the dosing and mixing operations. It is also suited for mixing low viscosity condensation silicones by using the appropriate mixing disk.



Alghamix II

Characteristics

- 2 speed bowl rotation
- Ergonomic speed selector
- Bayonet bowl-fastener
- Available bowls: small 350 cc for alginate, large 600 cc for gypsum
- Available bowl colours: grey and blue
- Plate with 20-sheet mixing block for silicones
- Easy to clean ABS body



Alghamix II

Advantages

- Homogeneous mixture without bubbles or lumps
- Constant bowl rotation guaranteed by the two speeds
- Easy to remove and easy to clean bowl
- 600 cc bowl for gypsum and silicone mixing plate usable for various purposes
- 3 year warranty

Code	Model	Size (L x D x H - mm)	Weight (Kg)	Power supply (V/Hz)	Total power (W)
C303230	Alghamix II - 230 V	170 x 270 x 210	3	230 V \pm 10 % / 50 - 60 Hz	50
C303215	Alghamix II - 115 V	170 x 270 x 210	3	115 V \pm 10 % / 50 - 60 Hz	50
C303231	Alghamix II - 230 V UK plug	170 x 270 x 210	3	230 V \pm 10 % / 50 - 60 Hz	50



Equipment / Mixers for impression systems







Modulmix, the automatic A-Silicone mixer with a 5:1 mixing ratio, offers high performance, excellent quality and functionality. It mixes evenly and without air bubbles all Zhermack products in 5:1 ratio (putty, heavy body and monophase) and is compatible with the main 5:1 systems present on the market.

The mixing with Modulmix is easy, constant and of higher quality than manual mixing. The mixing phase is notably reduced to give more product working time, which simplifies the work of the professional. Compact and linear design which guarantees reduced encumbrance upon working surfaces. The transparent plastic cover allows for immediate viewing of both the material being used and the level of material remaining in the cartridge.



Modulmix

Characteristics

- Two dispensing speeds:
 - Normal: 70* ml/min
 - Fast: 155* ml/min
- Motorised plungers (forward & reverse) for changing cartridges (max 3 sec)
- Ergonomic and compact design
- Two speed dispenser buttons
- Cartridge level indicator
- Retracting, finger-safe pistons to guarantee maximum safety standards
- Available in 230 V and 115 V countertop or wall-mounted versions
- Compatible with main 5:1 systems currently available on the market
- Digital timer provided

Advantages

- The high dispensing speed allows to accelerate the impression taking phase
- Double actuation button positioned on both sides of the machine to facilitate the view on the impression tray during filling
- Double speed automatic mixing combined with the innovative Zhermack dynamic-static mixing tip guarantees the maximum mixing uniformity (without air bubbles) while maintaining unchanged the reactivity of the product
- 2 year warranty

Code	Model	Size (L x D x H - mm)	Weight (kg)	Power supply (V/Hz)	Total power (W)
C309030	Modulmix - 230 V	224 x 372 x 320	12	230 V \pm 10 % / 50 - 60 Hz	160
C309035	Modulmix - 115 V	224 x 372 x 320	12	115 V \pm 10 % / 50 - 60 Hz	160
C309031	Molulmix - 230 V plug UK	224 x 372 x 320	12	230 V \pm 10 % / 50 - 60 Hz	160

*Internal Zhermack tests





Modulmix

Equipment / Mixers for impression systems





For more information about usable products consult the following sheets on the site www.zhermack.com: Hydrorise, Elite HD+, Freelgin.





Equipment

Solutions for hygiene

The proper cleaning of the dental instruments requires equipment that combines safety and efficacy, technology and practicality. For the disinfection and sterilization of instruments and burs, Zhermack has developed an ultrasonic bath, Zetasonic; an autoclave, Zetaclave, and a thermosealer.

Safe and effective, with a high respect for the materials; practical, for immediate and simplified handling; technologically advanced and with a contemporary design.

ULTRASONIC BATH	
Zeta Sonic	130
AUTOCLAVE Zetaclave B	100
	132
Thermosealer	

EAU USE: PUSH TO OPER APRIRE AGUA SUCIA: POUSSER POUR OVER SCHMUTZIGES WASSER: EMPLUSAR PARA ABRIR SCHIEBEN UM ZU OEFFNEN

Zhermack⁴ Dental

Zeta Sonic is an ultrasonic bath for a rapid and deep cleaning and disinfection of dental, surgical and prosthodontic instruments in metal, plastic, glass, ceramic or other materials.

Characteristics

- Stainless steel bath
- Waterproof display
- Innovative sweep and degas function
- Display to regulate time and temperature
- Auto-OFF (after 12 hours)



Zeta Sonic

Advantages

- **Certified Effectiveness:** when used in combination with Zeta 1 Ultra, performs disinfection and cleaning at the same time, thus minimising the decontamination risk and providing the operator greater protection and security
- **Practicality:** designed to improve and standardise the steps of cleaning and disinfection of the instruments. Allows to preset time and temperature in the first use and maintain this setting in subsequent uses
- **Smart machine:** maintains the temperature set during use and turns off by itself after 12 hours



Zeta Sonic



Code	Model	Size (L x D x H - mm)	Weight (kg)	Power supply (V/Hz)	Total power (W)	Internal tank dimensions (L x D x H - mm)	Working volume/max. volume (l)	Ultrasound frequency (kHz)	Max. ultrasonic effective power (W)	Medical device
C306403	Zeta Sonic 230 V	300 x 179 x 214	≈3.3	230 V ± 10 % / 50 - 60 Hz	280	240 x 137 x 100	≈ 1.90 / 2.75	37	80 / 320	Class I



Equipment / Solutions for hygiene








Cod. XR0140001

Cod. XR0140002







ACCESSORIES





Zetaclave is a class B autoclave for the sterilization in surgery of solid instruments, hollow instruments (type A and B), packeted instruments and porous loads in full compliance with European regulation EN 13060. Zetaclave B meets all the requirements for a safe sterilization while offering speed and high performance.

Characteristics

- Instant vaporizer outside the chamber
- Self-registering motorised closure with triple safety device
- Stainless steel chamber, pressed in a single block without welds (for perfect hygiene)



- Maximum security for the professional and his patients: a guarantee of high safety through constant controls by incorporated probes
- Easy to use and intuitive: thanks to the graphic display • and a complete list of pre-set cycles



Zetaclave



Code	Model	Size (L x D x H - mm)	Weight (kg)	Power supply (V/Hz)	Total power (W)	Chamber dimensions (Ø x D - mm)	Maximum altitude of use (m)	Tank capacity (l)
C306550	Zetaclave B 18 I	450 x 615 x 400	45	230 V ± 10 % / 50 - 60 Hz	2400	236 x 381	0 - 2000	4.5
C306552	Zetaclave B 23 I	450 x 615 x 400	50	230 V ± 10 % / 50 - 60 Hz	2400	236 x 530	0 - 2000	4.5

Accessories

Accessories Acce			Accessories		
Code	Packaging	Code	Packaging		
XR0150090	Electric distiller	XR0150125	Zetaclave tray 18 l		
XR0150070	Demineraliser	XR0150135	Zetaclave tray 23 l		
XR0150100	Osmosis	XR0150140	Bacterial filter		



Manual thermosealing machine for sterilization rolls.

Characteristics

- High sealing speed
- Sealing area width 310 mm
- Intelligent validation thanks to the luminous warning indicator during use

Advantages

- Quality: guarantees perfect sealing in a few seconds
- **Practicality:** the sealing lever is ergonomically designed and positioned frontally to simplify the packaging operations



Manual thermosealing machine



Model

XR0150060 Manual thermosealing machine



Dental Stones

Model casting

It often happens that the model needs to be cast directly in the practice to reproduce the state of the patient's dentition for diagnostic purposes. This allows to assess the most suitable orthodontic treatment or prosthesis, or even only to check the occlusion. To obtain the maximum precision, you can find within the wide range of Zhermack gypsum the one that is the most indicated for the applications of the dental practice.

Elite Rock is an extra hard stone for master models in fixed prosthesis applications. Thanks to its special formula optimised for reading with CAD/CAM systems, models made with Elite Rock in Silver Grey are scannable without using reflective sprays.

Elite Model is a dental stone indicated for making antagonists or study models.

Elite Ortho is a dental stone for the production of models for orthodontics and antagonists.

Elite Rock	200 g	1 kg	3 kg	25 kg carton	25 kg drum
Sandy Brown	C410033	C410032	C410030	C410200	C410334
Cream	-	-	C410020	C410201	C410332
Silver Grey	-	-	C410010	C410202	C410330
Light Amber	-	-	C410035	-	C410335
White	-	C410002	C410000	C410204	C410336
Elite Rock Fast	200 g	1 kg	3 kg	25 kg carton	25 kg drum
Sandy Brown	C410152	C410151	C410150	C410205	C410337
Cream	-	-	C410160	C410207	C410339
Silver Grey	-	-	C410155	C410206	C410338
Elite Model	200 g	1 kg	3 kg	25 kg carton	25 kg drum
Steel Blue	-	C410071	C410070	C410221	C410302
lvory	-	C410081	C410080	C410220	C410304
White	-	_	C4100C0	_	
			C410060	C410222	C410300
Elite Model Fast	200 g	1 kg	3 kg	C410222 25 kg carton	C410300 25 kg drum
Elite Model Fast	200 g -	1 kg -			
	-		3 kg	25 kg carton	25 kg drum
Sky Blue	-	-	3 kg C410065	25 kg carton C410224	25 kg drum C410306
Sky Blue Light Cream	-	-	3 kg C410065 C410067	25 kg carton C410224 C410226	25 kg drum C410306 C410308

For further information about the whole range of Zhermack Dental Stones, please refer to the laboratory catalogue.





Alphabetical index



Elite Cord **page 72**

Elite Glass **page 52**

Elite Hard Relining *page 63*

Elite HD+ Light Body - Normal & Fast Set Elite HD+ Maxi Monophase - Normal Set Elite HD+ Maxi Putty Soft - Normal & Fast Set Elite HD+ Maxi Tray Material - Fast Set Elite HD+ Monopahse - Normal Set Elite HD+ Putty Soft - Normal & Fast Set Elite HD+ Regular Body - Normal Set Elite HD+ Super Light Body - Fast Set Elite HD+ Tray Material - Fast Set **page 34**



Elite P&P Light Body Elite P&P Putty Soft Elite P&P Regular Body *page 38*

Elite Soft Relining *page 62*

Elite Stones **page 134**

Freealgin Freealgin Maxi **page 18**

G H

Gypstray **page 106**

Hi-Tray Light Clear **page 67**

Hi-Tray Light Dual Arch **page 70**

Hi-Tray Light Edentulous **page 69**

Hi-Tray Light Plastic **page 68**

Hi-Tray Metal **page 66**

Hydrocolor 5 **page 14**

Hydrogum **page 17**

Hydrogum 5 **page 14**

Hydrogum Soft **page 17**

Hydrorise Extra Light Body - Normal & Fast Set Hydrorise Heavy Body - Normal & Fast Set Hydrorise Light Body - Normal & Fast Set Hydrorise Maxi Heavy Body - Normal & Fast Set Hydrorise Maxi Monophase - Normal & Fast Set Hydrorise Maxi Putty - Normal & Fast Set Hydrorise Putty - Normal & Fast Set Hydrorise Putty - Normal & Fast Set Hydrorise Regular Body - Normal & Fast Set **page 26**

Hydrorise Implant Heavy Body - Normal Set Hydrorise Implant Heavy Body - Normal Set Hydrorise Implant Light Body - Normal Set *page 30*



Acrytemp **page 80**

Algitray **page 106**

Colorbite D Colorbite Rock *page 56*





Indurent Gel **page 44**

Neocolloid **page 15**

Occlufast CAD Occlufast Rock *page 56*

Oranwash L Oranwash VL **page 44**

Orthogum **page 48**

Orthoprint **page 16**



Phase Plus **page 17**

Safemix Latex Safemix Nitrile **page 112**



Thixoflex M **page 44**

Tropicalgin **page 17**

Universal Tray Adhesive *page 73*



Zeta 1 Ultra Zeta 2 Enzyme Zeta 2 Sporex *page 94*

Zeta 3 Foam Zeta 3 Soft Zeta 3 Wipes POP-UP Zeta 3 Wipes TOTAL Zeta 4 Wash **page 98**

Zeta 5 Power Act Zeta 5 Unit *page 102*

Zeta 6 Drygel Zeta 6 Hydra **page 110**

Zeta 7 Solution Zeta 7 Spray **page 104**

Zeta Roll **page 112**

Zetaflow Catalyst Zetaflow Light Zetaflow Putty Zetaplus Zetaplus Soft **page 44**

Zmack Bond Zmack Comp Zmack Etch Zmack Flow *page 84*



Fulfilling your needs

Zhermack S.p.A. | Via Bovazecchino, 100 | 45021 Badia Polesine (RO) ITALY T +39 0425 597611 | F +39 0425 53596 | info@zhermack.com | www.zhermack.com

